

**Data archive: Insect assemblages from 6-8 Pavement  
(the Lloyds Bank site), York**

by

Harry Kenward

**Summary**

*Species lists for insects from a group of samples from Anglo-Scandinavian deposits at 6-8 Pavement (the Lloyds Bank site), York, are given.*

**Keywords:** 6-8 PAVEMENT, YORK, LLOYDS BANK, INSECTS, SPECIES LISTS

Author's address:

Environmental Archaeology Unit  
Department of Biology  
University of York  
PO Box 373  
York YO10 5YW  
Telephone: (01904) 433843-51  
Fax: (01904) 433850; email [biol6@york.ac.uk](mailto:biol6@york.ac.uk)

26 June 2000

Table 1. Abbreviations for ecological codes and statistics used for interpretation of insect remains. Lower case codes in parentheses are those assigned to taxa and used to calculate the group values (the codes in capitals). Indivs - individuals (based on MNI); No - number.

No taxa	S	Percentage of indivs of grain pests	PNG
Estimated number of indivs (MNI)	N	No decomposer taxa (rt + rd + rf)	SRT
Index of diversity ( )	alpha	Percentage of RT taxa	PSRT
Standard error of alpha	SE alpha	No RT indivs	NRT
No 'certain' outdoor taxa (oa)	SOA	Percentage of RT indivs	PNRT
Percentage of 'certain' outdoor taxa	PSOA	Index of diversity of RT component	alpha RT
No 'certain' outdoor indivs	NOA	Standard error	SEalphaRT
Percentage of 'certain' outdoor indivs	PNOA	No 'dry' decomposer taxa (rd)	SRD
No OA and probable outdoor taxa (oa+ob)	SOB	Percentage of RD taxa	PSRD
Percentage of OB taxa	PSOB	No RD indivs	NRD
No OB indivs	NOB	Percentage of RD indivs	PNRD
Percentage OB indivs	PNOB	Index of diversity of the RD component	alphaRD
Index of diversity of the OB component	alphaOB	Standard error	SEalphaRD
Standard error	SEalphaOB	No 'foul' decomposer taxa (rf)	SRF
No aquatic taxa (w)	SW	Percentage of RF taxa	PSRF
Percentage of aquatic taxa	PSW	No RF indivs	NRF
No aquatic indivs	NW	Percentage of RF indivs	PNRF
Percentage of W indivs	PNW	Index of diversity of the RF component	alphaRF
Index of diversity of the W component	alphaW	Standard error	SEalphaRF
Standard error	SEalphaW	No synanthropic taxa (sf+st+ss)	SSA
No damp ground/waterside taxa (d)	SD	Percentage of synanthropic taxa	PSSA
Percentage D taxa	PSD	No synanthropic indivs	NSA
No damp D indivs	ND	Percentage of SA indivs	PNSA
Percentage of D indivs	PND	Index of diversity of SA component	ALPHASA
Index of diversity of the D component	alphaD	Standard error	SEALPHASA
Standard error	SEalphaD	No facultatively synanthropic indivs	SSF
No strongly plant-associated taxa (p)	SP	Percentage of SF taxa	PSSF
Percentage of P taxa	PSP	No SF indivs	NSF
No strongly P indivs	NP	Percentage of SF indivs	PNSF
Percentage of P indivs	PNP	Index of diversity of SF component	ALPHASF
Index of diversity of the P component	alphaP	Standard error	SEALPHASF
Standard error	SEalphaP	No typical synanthropic indivs	SST
No heathland/moorland taxa (m)	SM	Percentage of ST taxa	PSST
Percentage of M taxa	PSM	No ST indivs	NST
No M indivs	NM	Percentage of ST indivs	PNST
Percentage of M indivs	PNM	Index of diversity of ST component	ALPHAST
Index of diversity of the M component	alphaM	Standard error	SEALPHAST
Standard error	SEalphaM	No strongly synanthropic taxa	SSS
No wood-associated taxa (l)	SL	Percentage of SS taxa	PSSS
Percentage of L taxa	PSL	No SS indivs	NSS
No L indivs	NL	Percentage of SS indivs	PNSS
Percentage of L indivs	PNL	Index of diversity of SS component	ALPHASS
Index of diversity of the L component	alphaL	Standard error	SEALPHASS
Standard error	SEalphaL	No uncoded taxa (u)	SU
No indivs of grain pests (g)	NG	Percentage of uncoded indivs	PNU

Table 2. Species lists for assemblages of insects from the Lloyds Bank site, 6-8 Pavement, York. The lists are presented in rank order, and include only beetles and bugs (excluding Aphidoidea and Coccoidea). In headers: CA - alphanumeric context identifier; weight in kg; E - erosion; F - fragmentation (not recorded for this site). For each list the columns are (1) Taxon; (2) number of individuals; (3) ecological codes (explained in Table 1). Take care to distinguish 'I' in trench letters (I-IV) from numeral '1' in sample.

Context: 0 Sample: 0/0 CA: I9 ReM:			Hydraena sp.	1	oa-w
Weight: 5.00 E: 0.00 F: 0.00			Ptenidium sp.	1	rt
<b>Taxon</b>	<b>n</b>	<b>ec</b>	Acrotrichis sp.	1	rt
Helophorus sp.	1	oa-w	Omalium ?rivulare	1	rt-sf
Xylodromus ?concinnus	1	rt-st	Omalinae sp.	1	rt
Carpelimus ?bilineatus	1	rt-sf	Platystethus arenarius	1	rf
Gyrophypnus fracticornis	1	rt-st	Platystethus cornutus group	1	oa-d
Neobisnius sp.	1	u	Anotylus rugosus	1	rt
Aphodius sp.	1	ob-rf	?Lithocharis ochracea	1	rt-st
Cyphon sp.	1	oa-d	Leptacinus ?pusillus	1	rt-st
Corticarinae sp.	1	rt	Falagria caesa or sulcatula	1	rt-sf
			Aleocharinae sp. B	1	u
			Trox scaber	1	rt-sf
			Ptilinus pectinicornis	1	l-sf
			Malachius aeneus	1	u
			Malachius sp.	1	u
			Rhizophagus ?parallelocollis	1	rt-sf
			Orthoperus sp.	1	rt
			Stephostethus lardarius	1	rt-st
			Aglenus brunneus	1	rt-ss
			Chalcoides sp.	1	oa-p
			Halticinae sp.	1	oa-p
			Apion sp.	1	oa-p
			Rhinoncus perpendicularis	1	oa-p
			Ceuthorhynchinae sp.	1	oa-p
			Curculionidae sp.	1	oa
Context: 0 Sample: 0/0 CA: I13 ReM:			Context: 0 Sample: 0/0 CA: I16E ReM:		
Weight: 3.50 E: 0.00 F: 0.00			Weight: 4.00 E: 0.00 F: 0.00		
<b>Taxon</b>	<b>n</b>	<b>ec</b>	<b>Taxon</b>	<b>n</b>	<b>ec</b>
Platystethus nitens	6	oa-d	Aleocharinae sp. A	6	u
Philonthus sp.	6	u	Xylodromus concinnus	5	rt-st
Stenus sp.	5	u	Atomaria sp.	3	rd
Cercyon analis	4	rt-sf	Carpelimus sp.	2	u
Xylodromus concinnus	4	rt-st	Cryptophagus sp.	2	rd-sf
Aleocharinae sp. A	4	u	Corticarinae sp.	2	rt
Lathridius minutus group	4	rd-st	Ochthebius ?minimus	1	oa-w
Helophorus sp.	3	oa-w	Acrotrichis sp.	1	rt
Cercyon sp.	3	u	Omalinae sp.	1	rt
Carpelimus bilineatus	3	rt-sf	Carpelimus bilineatus	1	rt-sf
Carpelimus sp.	3	u	Anotylus complanatus	1	rt-sf
Anotylus nitidulus	3	rt	Anotylus nitidulus	1	rt
Cryptophagus sp.	3	rd-sf	Stenus sp.	1	u
Atomaria sp.	3	rd	Staphylininae sp.	1	u
Ochthebius minimus	2	oa-w	Tachyporus sp.	1	u
Oxytelus sculptus	2	rt-st	Aleocharinae sp. B	1	u
Gyrophypnus fracticornis	2	rt-st	Anobium punctatum	1	l-sf
Neobisnius sp.	2	u	Ptinus fur	1	rd-sf
Aphodius ?prodromus	2	ob-rf	Mycetaea hirta	1	rd-ss
Anobium punctatum	2	l-sf	Lathridius minutus group	1	rd-st
Ptinus fur	2	rd-sf			
Enicmus sp.	2	rt-sf			
Heterogaster urticae	1	oa-p			
Lyctocoris campestris	1	rd-st			
Corixidae sp.	1	oa-w			
Auchenorhyncha sp.	1	oa-p			
Clivina fossor	1	oa			
Bembidion sp.	1	oa			
Pterostichus ?melanarius	1	ob			
?Agonum sp.	1	oa			
Amara sp.	1	oa			
Helophorus aquaticus or grandis	1	oa-w			
Sphaeridium bipustulatum	1	rf			
Cercyon unipunctatus	1	rf-st			

Enicmus sp.	1	rt-sf
Dienerella sp.	1	rd-sf
Typhaea stercorea	1	rd-ss
Aglenus brunneus	1	rt-ss

Context: 0 Sample: 0/0 CA: **I17B** ReM:  
Weight: 3.50 E: 0.00 F: 0.00

<b>Taxon</b>	<b>n</b>	<b>ec</b>
Atomaria sp.	12	rd
Lathridius minutus group	10	rd-st
Xylodromus concinnus	9	rt-st
Aleocharinae sp.	9	u
Aglenus brunneus	7	rt-ss
Philonthus sp.	6	u
Cryptophagus sp.	6	rd-sf
Cercyon analis	5	rt-sf
Ptenidium sp.	5	rt
Anotylus rugosus	4	rt
Corticariinae sp.	3	rt
Cercyon sp.	2	u
Megastemum obscurum	2	rt
Falagria caesa or sulcatula	2	rt-sf
Anobium punctatum	2	l-sf
Mycetaea hirta	2	rd-ss
Cimicidae sp.	1	oa-p
?Chartoscirta sp.	1	oa-w
Patrobus atronufus	1	oa
Bembidion (Philochthus) sp.	1	oa
Stomis pumicatus	1	oa
Bradycellus ruficollis	1	oa-m
Dromius ?notatus	1	oa
Carabidae sp. A	1	ob
Carabidae sp. B	1	ob
Acritus nigricornis	1	rt-st
Gnathoncus sp.	1	rt-sf
Acrotrichis sp.	1	rt
Catops sp.	1	u
Proteinus sp.	1	rt
Omalium sp.	1	rt
Omaliinae sp.	1	rt
Carpelimus ?bilineatus	1	rt-sf
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Stenus sp.	1	u
Rugilus orbiculatus	1	rt-sf
Gyrophypnus fracticornis	1	rt-st
Tachinus sp.	1	u
Pselaphidae sp.	1	u
Trox scaber	1	rt-sf
Aphodius granarius	1	ob-rf
Aphodius ?prodromus	1	ob-rf
Clambus sp.	1	rt-sf
Ptinus fur	1	rd-sf
Epuraea sp.	1	u
Enicmus sp.	1	rt-sf
Tenebrio obscurus	1	rt-ss
Anthicus floralis	1	rt-st

Bruchinae sp.	1	u
Phyllotreta nemorum group	1	oa-p
Strophosomus sus	1	oa-p-m
Ceutorhynchus contractus	1	oa-p
Ceuthorhynchinae sp.	1	oa-p

Context: 0 Sample: 0/0 CA: **I17C** ReM:  
Weight: 3.50 E: 0.00 F: 0.00

<b>Taxon</b>	<b>n</b>	<b>ec</b>
Cryptophagus sp.	15	rd-sf
Atomaria sp.	12	rd
Xylodromus concinnus	9	rt-st
Aleocharinae sp. B	7	u
Lathridius minutus group	5	rd-st
Cercyon analis	4	rt-sf
Philonthus sp.	4	u
Aleocharinae sp. A	4	u
Meligethes sp.	4	oa-p
Aglenus brunneus	4	rt-ss
Ptenidium sp.	3	rt
Stenus sp.	3	u
Aphodius granarius	3	ob-rf
Corticariinae sp.	3	rt
Catops sp.	2	u
Anotylus nitidulus	2	rt
Anotylus rugosus	2	rt
Oxytelus sculptus	2	rt-st
Gyrophypnus fracticornis	2	rt-st
Enicmus sp.	2	rt-sf
Apion sp.	2	oa-p
Helophorus grandis	1	oa-w
Helophorus flavipes	1	oa-w
Helophorus sp.	1	oa-w
Acritus nigricornis	1	rt-st
Acrotrichis sp.	1	rt
Micropeplus staphylinoides	1	rt
Omalium sp.	1	rt
Carpelimus ?bilineatus	1	rt-sf
Carpelimus sp.	1	u
Platystethus cornutus group	1	oa-d
Rugilus orbiculatus	1	rt-sf
Gyrophypnus ?angustatus	1	rt-st
Neobisnius sp.	1	u
Cordalia obscura	1	rt-sf
Falagria caesa or sulcatula	1	rt-sf
Clambus sp.	1	rt-sf
Elateridae sp.	1	ob
Anobium punctatum	1	l-sf
Lyctus linearis	1	l-sf
Omosita discoidea	1	rt-sf
Tenebrio obscurus	1	rt-ss
Phyllotreta nemorum group	1	oa-p
Halticinae sp.	1	oa-p
Strophosomus sus	1	oa-p-m

Context: 0 Sample: 0/0 CA: **I24** ReM:  
Weight: 3.50 E: 0.00 F: 0.00

Taxon	n	ec			
Lathridius minutus group	12	rd-st	Atomaria sp. B	4	rd
Aleocharinae sp. A	10	u	Xylodromus concinnus	3	rt-st
Anobium punctatum	9	l-sf	Stenus sp.	3	u
Aleocharinae sp. B	7	u	Leptacinus ?pusillus	3	rt-st
Cryptophagus sp.	7	rd-sf	Philonthus sp. A	3	u
Atomaria sp.	7	rd	Omalium excavatum	2	rt-sf
Xylodromus concinnus	6	rt-st	Platystethus arenarius	2	rf
Omalium sp.	4	rt	Anotylus nitidulus	2	rt
Philonthus sp.	4	u	Anotylus rugosus	2	rt
Cercyon analis	2	rt-sf	Gyrophypnus ?fracticornis	2	rt-st
Platystethus cornutus group	2	oa-d	Aleocharinae sp. C	2	u
Anotylus rugosus	2	rt	Orthoperus sp.	2	rt
Neobisnius sp.	2	u	Trechus secalis	1	oa-d
Gabrius sp.	2	rt	Bembidion ?guttula	1	oa
Clambus sp.	2	rt-sf	Helophorus ?grandis	1	oa-w
Brachypterus glaber	2	oa-p	Helophorus sp.	1	oa-w
Heterogaster urticae	1	oa-p	Cercyon analis	1	rt-sf
Dyschirius globosus	1	oa	Acritus nigricornis	1	rt-st
Clivina fossor	1	oa	Ptenidium sp.	1	rt
Bembidion ?nitidulum	1	oa-d	Catops sp.	1	u
Hydroporinae sp.	1	oa-w	Megarthus sp.	1	rt
Helophorus sp.	1	oa-w	?Phyllodrepa floralis	1	rt-sf
Cercyon sp.	1	u	Omalium ?rivulare	1	rt-sf
Megastemum obscurum	1	rt	Omaliinae sp.	1	rt
Ochthebius minimus	1	oa-w	Carpelimus sp.	1	u
Ptenidium sp.	1	rt	Platystethus cornutus group	1	oa-d
Catops sp.	1	u	Platystethus nitens	1	oa-d
Omaliinae sp.	1	rt	Anotylus complanatus	1	rt-sf
Carpelimus sp.	1	u	Anotylus tetracaratus	1	rt
Platystethus arenarius	1	rf	Neobisnius sp.	1	u
Anotylus nitidulus	1	rt	Philonthus sp. B	1	u
Lathrobium sp.	1	u	Tachyporus sp.	1	u
Leptacinus ?pusillus	1	rt-st	Falagria caesa or sulcatula	1	rt-sf
Gyrophypnus fracticornis	1	rt-st	Aleocharinae sp. D	1	u
Quedius sp.	1	u	Aphodius fimetarius	1	oa-rf
Aphodius granarius	1	ob-rf	Aphodius granarius	1	ob-rf
Aphodius ?prodromus	1	ob-rf	Ptilinus pectinicornis	1	l-sf
Aphodius sp.	1	ob-rf	Ptinus fur	1	rd-sf
Ptinus fur	1	rd-sf	Brachypterus glaber	1	oa-p
Omosita discoidea	1	rt-sf	Monotoma sp.	1	rt-sf
Ephistemus globulus	1	rd-sf	Atomaria sp. C	1	rd
Mycetaea hirta	1	rd-ss	Corticariinae sp.	1	rt
Aglenus brunneus	1	rt-ss	Typhaea stercorea	1	rd-ss
Apion sp.	1	oa-p	Anthicus floralis or formicarius	1	rt-st
Sitona ?lineatus	1	oa-p	Gastrophysa viridula	1	oa-p
			Phaedon sp.	1	oa-p
			Halticinae sp.	1	oa-p

Context: 0 Sample: 0/0 CA: I27 ReM:

Weight: 4.50 E: 0.00 F: 0.00

Context: 0 Sample: 0/0 CA: I30 ReM:

Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec	Taxon	n	ec
Lathridius minutus group	13	rd-st	Atomaria sp.	17	rd
Enicmus sp.	9	rt-sf	Aleocharinae sp. A	7	u
Atomaria sp. A	6	rd	Cryptophagus sp.	5	rd-sf
Aleocharinae sp. A	5	u	Omalium sp.	4	rt
Cryptophagus sp.	5	rd-sf	Lathridius minutus group	4	rd-st
Aglenus brunneus	5	rt-ss	Enicmus sp.	4	rt-sf
Aleocharinae sp. B	4	u			

Aleocharinae sp. B	3	u
Ptenidium sp.	2	rt
Xylodromus concinnus	2	rt-st
Platystethus arenarius	2	rf
Corticariinae sp.	2	rt
Helophorus sp.	1	oa-w
Cercyon analis	1	rt-sf
Cercyon sp.	1	u
Megastemum obscurum	1	rt
?Silpha atrata	1	u
Omalium excavatum	1	rt-sf
Omalinae sp.	1	rt
Carpelimus ?bilineatus	1	rt-sf
Carpelimus sp.	1	u
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Gyrophypnus angustatus	1	rt-st
Gyrophypnus fracticornis	1	rt-st
Neobisnius sp.	1	u
Aphodius ?prodromus	1	ob-rf
Oxyomus sylvestris	1	rt-sf
Lyctus linearis	1	l-sf
Halticinae sp.	1	oa-p
Phytobius sp.	1	oa-d
Xylotenus ?domesticus	1	l
Scolytidae sp.	1	l

Context: 0 Sample: 0/0 CA: **II6** ReM:  
Weight: 1.00 E: 0.00 F: 0.00

Taxon	n	ec
Cercyon analis	3	rt-sf
Aglenus brunneus	2	rt-ss
Trechus micros	1	u
Carabidae sp. A	1	ob
Carabidae sp. B	1	ob
Colymbetes fuscus	1	oa-w
Helophorus sp.	1	oa-w
Cercyon sp.	1	u
Ochthebius sp.	1	oa-w
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Anotylus rugosus	1	rt
Stenus sp.	1	u
Gyrophypnus ?fracticornis	1	rt-st
Philonthus sp.	1	u
Elateridae sp.	1	ob
Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
Monotoma sp.	1	rt-sf
Bruchinae sp.	1	u

Context: 0 Sample: 0/0 CA: **II8** ReM:  
Weight: -1.00 E: 0.00 F: 0.00

Notes: No record of weight

Taxon	n	ec
Stenus sp.	2	u
Aleocharinae sp.	2	u
Trechus micros	1	u
Cercyon analis	1	rt-sf
Xylodromus concinnus	1	rt-st
Carpelimus sp.	1	u
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Anotylus rugosus	1	rt
Neobisnius sp.	1	u
Monotoma sp.	1	rt-sf
Halticinae sp.	1	oa-p

Context: 0 Sample: 0/0 CA: **II9** ReM:  
Weight: 4.50 E: 0.00 F: 0.00

Taxon	n	ec
Cryptophagus sp.	8	rd-sf
Carpelimus ?bilineatus	3	rt-sf
Platystethus cornutus group	3	oa-d
Anotylus nitidulus	3	rt
Aleocharinae sp.	3	u
Lathridius minutus group	3	rd-st
Cercyon sp.	2	u
Acritus nigricornis	2	rt-st
Omalinae sp.	2	rt
Platystethus arenarius	2	rf
Anotylus rugosus	2	rt
Atomaria sp.	2	rd
Aglenus brunneus	2	rt-ss
Heterogaster urticae	1	oa-p
Dyschirius globosus	1	oa
Clivina fossor	1	oa
Trechus micros	1	u
Bembidion ?tibiale	1	oa-d
Helophorus b revipalpis	1	oa-w
Helophorus aquaticus or grandis	1	oa-w
Cercyon analis	1	rt-sf
Cercyon atricapillus	1	rf-st
Ochthebius minimus	1	oa-w
Limnebius ?aluta	1	oa-w
Limnebius ?truncatellus	1	oa-w
Phyllodrepa ?floralis	1	rt-sf
Omalium sp.	1	rt
Xylodromus ?concinnus	1	rt-st
Bledius sp.	1	oa-d
Anotylus complanatus	1	rt-sf
Stenus sp.	1	u
Leptacinus ?pusillus	1	rt-st
Philonthus sp.	1	u
Falagria caesa or sulcatula	1	rt-sf
Aphodius sp.	1	ob-rf
Oulimnius sp.	1	oa-w
Anobium punctatum	1	l-sf
Mycetaea hirta	1	rd-ss
Enicmus sp.	1	rt-sf
Corticariinae sp.	1	rt

Anthicus floralis or formicarius	1	rt-st
Prasocuris phellandrii	1	oa-p-d
?Longitarsus sp.	1	oa-p
Psylliodes sp.	1	oa-p
Halticinae sp.	1	oa-p

Context: 0 Sample: 0/0 CA: **II10** ReM:  
Weight: 10.00 E: 0.00 F: 0.00

<b>Taxon</b>	<b>n</b>	<b>ec</b>
Aglenus brunneus	37	rt-ss
Ptenidium ?punctatum	24	rt
Lathridius minutus group	18	rd-st
Carpelimus bilineatus	12	rt-sf
Oxytelus sculptus	9	rt-st
Cercyon analis	8	rt-sf
Cryptophagus sp.	7	rd-sf
Atomaria sp. A	7	rd
Xylodromus concinnus	6	rt-st
Platystethus arenarius	6	rf
Aleocharinae sp. A	6	u
Cryptophagus scutellatus	6	rd-st
Corticariinae sp. A	6	rt
Carpelimus elongatulus	5	oa-d
Aleocharinae sp. B	5	u
Atomaria sp. B	5	rd
Anotylus nitidulus	4	rt
Philonthus sp. A	4	u
Falagria caesa or sulcatula	4	rt-sf
Aleocharinae sp. C	4	u
Aleocharinae sp. D	4	u
Anthicus floralis or formicarius	4	rt-st
Megastemum obscurum	3	rt
Gnathoncus sp.	3	rt-sf
Acrotrichis sp.	3	rt
Platystethus cornutus group	3	oa-d
Anotylus complanatus	3	rt-sf
Anotylus rugosus	3	rt
Philonthus sp. B	3	u
Ptinus fur	3	rd-sf
Mycetaea hirta	3	rd-ss
Enicmus sp.	3	rt-sf
Auchenorhyncha sp.	2	oa-p
Helophorus ?grandis	2	oa-w
Cercyon atricapillus	2	rf-st
Cercyon haemorrhoidalis	2	rf-sf
Cercyon terminatus	2	rf-st
Omalius rivulare	2	rt-sf
Neobisnius sp.	2	u
Aleocharinae sp. E	2	u
Aphodius prodromus	2	ob-rf
Aphodius sp. B	2	ob-rf
Anobium punctatum	2	l-sf
Lyctus linearis	2	l-sf
Dienerella sp.	2	rd-sf
Corticariinae sp. B	2	rt
Cerambycidae sp.	2	l

Curculionidae sp.	2	oa
Aneurus sp.	1	l
Heterogaster urticae	1	oa-p
Saldula ?saltatoria	1	oa-d
Clivina fossor	1	oa
Trechus obtusus or quadristriatus	1	oa
Trechus micros	1	u
Bembidion ?tibiale	1	oa-d
Anisodactylus binotatus	1	oa
Cercyon unipunctatus	1	rf-st
Cryptopleurum minutum	1	rf-st
Acritus homoeopathicus	1	u
Acritus nigricornis	1	rt-st
Histerinae sp.	1	rt
Hydraena ?riparia	1	oa-w
Limnebius sp.	1	oa-w
Ptiliidae sp.	1	u
Micropeplus staphylinoides	1	rt
Omaliinae sp.	1	rt
Carpelimus fuliginosus	1	st
Carpelimus pusillus group	1	u
Platystethus nitens	1	oa-d
Stenus sp.	1	u
Gyrohypnus ?fracticornis	1	rt-st
Xantholinus linearis	1	rt-sf
Creophilus maxillosus	1	rt
Quedius cinctus	1	rt
Tachinus signatus	1	u
Aleocharinae sp. F	1	u
Aleocharinae sp. G	1	u
Aleocharinae sp. H	1	u
Aleocharinae sp. I	1	u
Aleocharinae sp. J	1	u
Aphodius sp. A	1	ob-rf
Clambus sp.	1	rt-sf
Brachypterus glaber	1	oa-p
Meligethes sp.	1	oa-p
Omosita discoidea	1	rt-sf
Monotoma bicolor	1	rt-st
Monotoma picipes	1	rt-st
Cerylon ferrugineum	1	l
Orthoperus sp.	1	rt
Corticariinae sp. C	1	rt
Tenebrio obscurus	1	rt-ss
Gracilia minuta	1	l
Phymatodes alni	1	l
Chrysomelinae sp.	1	oa-p
Halticinae sp.	1	oa-p
Apion (Exapion) difficile	1	oa-p
Coleoptera sp.	1	u

Context: 0 Sample: 0/0 CA: **II11** ReM:  
Weight: 2.00 E: 0.00 F: 0.00

<b>Taxon</b>	<b>n</b>	<b>ec</b>
Corticariinae sp.	5	rt
Cercyon analis	3	rt-sf
Atomaria sp.	3	rd

Xylodromus concinnus	2	rt-st
Stenus sp.	2	u
Anobium punctatum	2	l-sf
Cryptophagus sp.	2	rd-sf
Lathridius minutus group	2	rd-st
Enicmus sp.	2	rt-sf
Apion sp.	2	oa-p
Bembidion sp.	1	oa
Acritus nigricornis	1	rt-st
Omalium sp.	1	rt
Carpelimus sp.	1	u
Platystethus nitens	1	oa-d
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Gyrophypnus fracticornis	1	rt-st
Philonthus sp. A	1	u
Philonthus sp. B	1	u
Cypha sp.	1	rt
Aphodius prodromus	1	ob-rf
Aphodius sp.	1	ob-rf
Monotoma sp.	1	rt-sf
Cryptophagus ?scutellatus	1	rd-st
Orthoperus sp.	1	rt

Context: 0 Sample: 0/0 CA: **II12** ReM:  
Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	12	rt-ss
Aleocharinae sp. B	5	u
Cryptophagus scutellatus	4	rd-st
Carpelimus bilineatus	3	rt-sf
Anotylus rugosus	3	rt
Ptenidium sp.	2	rt
Patrobis atronufus	1	oa
Trechus micros	1	u
Bembidion sp.	1	oa
Carabidae sp. A	1	ob
Carabidae sp. B	1	ob
Cercyon sp.	1	u
Acritus nigricornis	1	rt-st
Gnathoncus sp.	1	rt-sf
Ochthebius sp.	1	oa-w
Omaliinae sp.	1	rt
Carpelimus sp.	1	u
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Anotylus nitidulus	1	rt
Staphylininae sp.	1	u
Falagria caesa or sulcatula	1	rt-sf
Aleocharinae sp. A	1	u
Athous haemorrhoidalis	1	oa-p
Elateridae sp.	1	ob
Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
Monotoma sp.	1	rt-sf
Atomaria sp.	1	rd

Stephostethus angusticollis	1	rt-st
Rhinoncus pericarpus	1	oa-p

Context: 0 Sample: 0/0 CA: **II13** ReM:  
Weight: 4.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	51	rt-ss
Cryptophagus scutellatus	15	rd-st
Aleocharinae sp. A	9	u
Histerinae sp.	4	rt
Xylodromus concinnus	4	rt-st
Aleocharinae sp. B	3	u
Ptenidium ?punctatum	2	rt
Quedius sp.	2	u
Ptinus fur	2	rd-sf
Monotoma sp.	2	rt-sf
Atomaria sp.	2	rd
Mycetaea hirta	2	rd-ss
Trechus micros	1	u
Rhantus sp.	1	oa-w
Helophorus sp.	1	oa-w
Cercyon analis	1	rt-sf
Cercyon ?haemorrhoidalis	1	rf-sf
Gnathoncus schmidti	1	rt-sf
Acrotrichis sp.	1	rt
Carpelimus ?bilineatus	1	rt-sf
Carpelimus sp.	1	u
Anotylus rugosus	1	rt
Gyrophypnus angustatus	1	rt-st
Philonthus sp.	1	u
?Gabrius sp.	1	rt
?Heterothops sp.	1	u
Aleocharinae sp. C	1	u
Trox scaber	1	rt-sf
Geotrupes sp.	1	oa-rf
Lyctus linearis	1	l-sf
Cryptophagus sp.	1	rd-sf
Lathridius minutus group	1	rd-st
Tenebrio obscurus	1	rt-ss
Cerambycidae sp.	1	l
Halticinae sp.	1	oa-p
Strophosomus sus	1	oa-p-m
Sitophilus granarius	1	g-ss

Context: 0 Sample: 0/0 CA: **II14** ReM:  
Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	69	rt-ss
Xylodromus concinnus	17	rt-st
Cryptophagus scutellatus	17	rd-st
Lathridius minutus group	7	rd-st
Aleocharinae sp. A	5	u
Cryptophagus sp.	5	rd-sf
Atomaria sp. A	5	rd
Aleocharinae sp. B	3	u
Gnathoncus schmidti	2	rt-sf



Atomaria sp. B	2	rd
Mycetaea hirta	2	rd-ss
Enicmus sp.	2	rt-sf
Corticariinae sp.	2	rt
Ceutorhynchus contractus	2	oa-p
Helophorus sp.	1	oa-w
Cercyon analis	1	rt-sf
Cercyon ?haemorrhoidalis	1	rf-sf
Megastemum obscurum	1	rt
Phyllodrepa ?floralis	1	rt-sf
Omalinae sp.	1	rt
Carpelimus ?bilineatus	1	rt-sf
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Anotylus rugosus	1	rt
Leptacinus ?pusillus	1	rt-st
Gabrieus sp.	1	rt
Staphylininae sp.	1	u
Aleocharinae sp. C	1	u
Aleocharinae sp. D	1	u
Ptinus fur	1	rd-sf
Monotoma bicolor	1	rt-st
Corticaria ?punctulata	1	rt-sf
Anthicus floralis or formicarius	1	rt-st
Sitophilus granarius	1	g-ss

Context: 0 Sample: 0/0 CA: **II15** ReM:  
Weight: 8.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	64	rt-ss
Ptenidium sp.	10	rt
Helophorus sp.	2	oa-w
Cercyon analis	2	rt-sf
Carpelimus ?bilineatus	2	rt-sf
Anotylus rugosus	2	rt
Aleocharinae sp. A	2	u
Atomaria sp. A	2	rd
Lathridius minutus group	2	rd-st
Clivina fossor	1	oa
Helophorus brevipalpis	1	oa-w
Helophorus nubilus	1	oa
Cercyon unipunctatus	1	rf-st
Megastemum obscurum	1	rt
Ochthebius minimus	1	oa-w
Xylodromus concinnus	1	rt-st
Omalinae sp.	1	rt
Carpelimus ?fuliginosus	1	st
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Anotylus complanatus	1	rt-sf
Anotylus nitidulus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Philonthus sp.	1	u

Aleocharinae sp. B	1	u
Aleocharinae sp. C	1	u
Geotrupes sp.	1	oa-rf
Aphodius fimetarius	1	oa-rf
Aphodius granarius	1	ob-rf
Aphodius prodromus	1	ob-rf
Monotoma picipes	1	rt-st
Cryptolestes sp.	1	ss
Cryptophagus ?scutellatus	1	rd-st
Atomaria sp. B	1	rd
Enicmus sp.	1	rt-sf
Dienereella sp.	1	rd-sf
Corticaria ?punctulata	1	rt-sf
Corticariinae sp.	1	rt
Anthicus floralis or formicarius	1	rt-st
Halticinae sp.	1	oa-p
Apion sp.	1	oa-p
Sitophilus granarius	1	g-ss

Context: 0 Sample: 0/0 CA: **II16** ReM:  
Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	27	rt-ss
Lathridius minutus group	12	rd-st
Xylodromus concinnus	8	rt-st
Aleocharinae sp. A	6	u
Cryptophagus sp. A	6	rd-sf
Cryptophagus scutellatus	5	rd-st
Cercyon analis	4	rt-sf
Falagria caesa or sulcatula	4	rt-sf
Aleocharinae sp. B	3	u
Anobium punctatum	3	l-sf
Atomaria sp. A	3	rd
Helophorus sp.	2	oa-w
Acritus nigricornis	2	rt-st
Carpelimus bilineatus	2	rt-sf
Platystethus arenarius	2	rf
Anotylus complanatus	2	rt-sf
Leptacinus ?pusillus	2	rt-st
Staphylininae sp.	2	u
Aphodius prodromus	2	ob-rf
Monotoma sp.	2	rt-sf
Cryptophagus sp. B	2	rd-sf
Atomaria sp. B	2	rd
Enicmus sp.	2	rt-sf
Corticariinae sp.	2	rt
Halticinae sp.	2	oa-p
Apion (Eutrichapion) ?virens	2	oa-p
Philaenus spumarius	1	oa-p
Trechus obtusus or quadristriatus	1	oa
Bembidion ?properans	1	oa
Bembidion sp.	1	oa
Amara sp.	1	oa
Harpalus sp.	1	oa
Colymbetes fuscus	1	oa-w
Helophorus aquaticus or grandis	1	oa-w
Cercyon sp.	1	u

Hydrobius fuscipes	1	oa-w
Ochthebius minimus	1	oa-w
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Anotylus nitidulus	1	rt
Anotylus rugosus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Gyrophynus angustatus	1	rt-st
?Heterothops sp.	1	u
Aleocharinae sp. C	1	u
Trox scaber	1	rt-sf
Aphodius sp.	1	ob-rf
Esolus parallelepipedus	1	oa-w
Limnius volckmari	1	oa-w
Ptinus fur	1	rd-sf
Omosita colon	1	rt-sf
Rhizophagus ?parallelocollis	1	rt-sf
Dienerella sp.	1	rd-sf
Corticaria ?punctulata	1	rt-sf
Typhaea stercorea	1	rd-ss
Blaps lethifera	1	rt-ss
Tenebrio obscurus	1	rt-ss
Anthicus formicarius	1	rt-st
Phymatodes alni	1	l
Cerambycidae sp.	1	l
Prasocuris phellandrii	1	oa-p-d
Phyllotreta nemorum group	1	oa-p
?Psylliodes attenuata	1	oa-p
?Leperisinus varius	1	l
Scolytidae sp.	1	l

Context: 0 Sample: 0/0 CA: III17 ReM:  
Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	160	rt-ss
Ptenidium sp.	38	rt
Monotoma picipes	32	rt-st
Carpelimus bilineatus	22	rt-sf
Xylodromus concinnus	19	rt-st
Cryptophagus ?scutellatus	18	rd-st
Aleocharinae sp. A	13	u
Gnathoncus sp.	7	rt-sf
Aleocharinae sp. B	7	u
Cryptophagus sp. A	7	rd-sf
Atomaria sp. A	7	rd
Leptacinus ?pusillus	6	rt-st
Cercyon ?nalis	5	rt-sf
Lathridius minutus group	5	rd-st
Cryptophagus sp. B	4	rd-sf
Atomaria sp. B	4	rd
Oxytelus sculptus	3	rt-st
Atomaria sp. C	3	rd
Corticarinae sp.	3	rt
Histerinae sp.	2	rt
Anotylus nitidulus	2	rt
Stenus sp.	2	u

Staphylininae sp.	2	u
Aleocharinae sp. C	2	u
Halticinae sp.	2	oa-p
Apion sp.	2	oa-p
Bembidion sp.	1	oa
Helophorus sp.	1	oa-w
Cercyon terminatus	1	rf-st
Cercyon unipunctatus	1	rf-st
Ochthebius minimus	1	oa-w
Scydmaenidae sp.	1	u
Anotylus rugosus	1	rt
Lathrobium sp.	1	u
Philonthus sp.	1	u
Creophilus maxillosus	1	rt
?Heterothops sp.	1	u
Cilea silphoides	1	rt-st
Aleocharinae sp. D	1	u
Euplectini sp.	1	u
Aphodius prodromus	1	ob-rf
Clambus sp.	1	rt-sf
Elatenidae sp.	1	ob
Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
Rhizophagus ?parallelocollis	1	rt-sf
Mycetaea hirta	1	rd-ss
Enicmus sp.	1	rt-sf
Corticaria ?punctulata	1	rt-sf
Anthicus formicarius	1	rt-st
Sitona sp.	1	oa-p
?Hypera punctata	1	oa-p
Ceutorhynchus contractus	1	oa-p
Ceutorhynchus ?erysimi	1	oa-p
Coleoptera sp.	1	u

Context: 0 Sample: 0/0 CA: III18 ReM:  
Weight: 9.75 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	123	rt-ss
Ptenidium sp. A	75	rt
Xylodromus concinnus	36	rt-st
Cryptophagus ?scutellatus	27	rd-st
Atomaria sp. A	20	rd
Lathridius minutus group	20	rd-st
Enicmus sp.	12	rt-sf
Gnathoncus sp.	11	rt-sf
Aleocharinae sp. A	10	u
Monotoma bicolor	10	rt-st
Atomaria sp. B	10	rd
Cercyon analis	8	rt-sf
Aleocharinae sp. B	8	u
Atomaria sp. C	8	rd
Carpelimus bilineatus	7	rt-sf
Orthoperus sp.	7	rt
Omalium caesum or italicum	6	rt-sf
Leptacinus ?pusillus	6	rt-st
Anotylus nitidulus	5	rt
Aleocharinae sp. C	5	u

Cryptophagus sp. A	5	rd-sf	Aphodius sp.	1	ob-rf
Stenus sp.	4	u	Clambus sp.	1	rt-sf
Neobisnius sp.	4	u	Elateridae sp.	1	ob
Cryptophagus sp. B	4	rd-sf	Ptinus fur	1	rd-sf
Corticariinae sp. A	4	rt	Meligethes sp.	1	oa-p
Amara sp.	3	oa	Omosita colon	1	rt-sf
Anotylus rugosus	3	rt	Monotoma spenicollis	1	rt-st
Anobium punctatum	3	l-sf	Dienerella sp.	1	rd-sf
Anthicus formicarius	3	rt-st	Corticariinae sp. B	1	rt
Cercyon haemorrhoidalis	2	rf-sf	Blaps sp.	1	rt-ss
Ochthebius minimus	2	oa-w	Tenebrio obscurus	1	rt-ss
Platystethus cornutus group	2	oa-d	Bruchinae sp.	1	u
Gyrophypnus fracticornis	2	rt-st	Phaedon sp.	1	oa-p
Staphylininae sp.	2	u	Prasocuris phellandrii	1	oa-p-d
Aleocharinae sp. D	2	u	Phyllotreta nemorum group	1	oa-p
Trox scaber	2	rt-sf	Phyllotreta sp.	1	oa-p
Corticaria ?punctulata	2	rt-sf	Chaetocnema concinna	1	oa-p
Corticariinae sp. C	2	rt	Halticinae sp.	1	oa-p
Heterogaster urticae	1	oa-p	Apion sp.	1	oa-p
Drymus sylvaticus	1	oa-p	Ceutorhynchus ?contractus	1	oa-p
Philaenus spumarius	1	oa-p	Curculionidae sp.	1	oa
Dyschirius globosus	1	oa	Scolytus ?intricatus	1	l
Trechus quadristriatus	1	oa			
Bembidion doris	1	oa-d	Context: 0 Sample: 0/0 CA: <b>II19</b> ReM:		
Bembidion ?guttula	1	oa	Weight: 3.00 E: 0.00 F: 0.00		
Pterostichus ?melanarius	1	ob			
Helophorus grandis	1	oa-w	<b>Taxon</b>	<b>n</b>	<b>ec</b>
Helophorus sp.	1	oa-w	Lathridius minutus group	10	rd-st
Cercyon atricapillus	1	rf-st	Xylodromus concinnus	7	rt-st
Megastemum obscurum	1	rt	Aphodius granarius	6	ob-rf
Cryptopleurum minutum	1	rf-st	Cercyon analis	5	rt-sf
Acritus nigricornis	1	rt-st	Aglenus brunneus	4	rt-ss
Histerinae sp.	1	rt	Ptenidium sp.	3	rt
Ptenidium sp. B	1	rt	Cryptophagus ?scutellatus	3	rd-st
Acrotichis sp.	1	rt	Atomaria sp. A	3	rd
Ptiliidae sp.	1	u	Megastemum obscurum	2	rt
Phyllodrepa floralis	1	rt-sf	Philonthus sp. A	2	u
Omalium excavatum	1	rt-sf	Monotoma bicolor	2	rt-st
Omalium rivulare	1	rt-sf	Cryptophagus sp.	2	rd-sf
Omalinae sp.	1	rt	Bembidion sp.	1	oa
Syntomium aeneum	1	oa	Helophorus sp.	1	oa-w
Carpelimus ?fuliginosus	1	st	Cryptopleurum minutum	1	rf-st
Carpelimus pusillus group	1	u	Carpelimus bilineatus	1	rt-sf
Platystethus nitens	1	oa-d	Platystethus cornutus group	1	oa-d
Anotylus complanatus	1	rt-sf	Platystethus nitens	1	oa-d
Oxytelus sculptus	1	rt-st	Anotylus complanatus	1	rt-sf
Rugilus ?orbiculatus	1	rt-sf	Anotylus nitidulus	1	rt
Gyrophypnus angustatus	1	rt-st	Anotylus rugosus	1	rt
Xantholinus longiventris	1	rt-sf	Oxytelus sculptus	1	rt-st
Philonthus sp.	1	u	Stenus sp.	1	u
?Gabrius sp.	1	rt	Gyrophypnus fracticornis	1	rt-st
Creophilus maxillosus	1	rt	Neobisnius sp.	1	u
Tachyporus sp.	1	u	Philonthus sp. B	1	u
Falagria caesa or sulcatula	1	rt-sf	Staphylinus sp.	1	u
Atheta monticola	1	u	Aleocharinae sp. A	1	u
Aleocharinae sp. E	1	u	Aleocharinae sp. B	1	u
Aphodius fimetarius	1	oa-rf	Aphodius luridus	1	oa-rf
Aphodius prodromus	1	ob-rf	Aphodius prodromus	1	ob-rf

Ptinus fur	1	rd-sf
Meligethes sp.	1	oa-p
Atomaria sp. B	1	rd
Enicmus sp.	1	rt-sf
Cerambycidae sp.	1	l
Apion (Exapion) difficile	1	oa-p
Apion (Eutrichapion)?virens	1	oa-p
Apion sp.	1	oa-p
Ceuthorhynchinae sp.	1	oa-p

Mycetaea hirta	1	rd-ss
Corticaria ?punctulata	1	rt-sf
Anthicus floralis or formicarius	1	rt-st
Apion sp.	1	oa-p
Strophosomus sus	1	oa-p-m
Notaris acridulus	1	oa-d-p
Ceutorhynchus sp.	1	oa-p

Context: 0 Sample: 0/0 CA: **II21** ReM:  
Weight: 4.00 E: 0.00 F: 0.00

Context: 0 Sample: 0/0 CA: **II20** ReM:  
Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	82	rt-ss
Ptenidium sp.	38	rt
Cryptophagus sp.	12	rd-sf
Xylodromus concinnus	11	rt-st
Aleocharinae sp. A	8	u
Atomaria sp. A	8	rd
Monotoma bicolor	7	rt-st
Cryptophagus ?scutellatus	7	rd-st
Lathridius minutus group	6	rd-st
Corticariinae sp.A	6	rt
Omalius sp.	5	rt
Carpelimus bilineatus	5	rt-sf
Cercyon analis	4	rt-sf
Aleocharinae sp. B	3	u
Atomaria sp. B	3	rd
Corticariinae sp. B	3	rt
Anotylus nitidulus	2	rt
Anotylus rugosus	2	rt
Gyrophypnus fracticornis	2	rt-st
Orthoperus sp.	2	rt
Enicmus sp.	2	rt-sf
Carabidae sp.	1	ob
Acritus nigricornis	1	rt-st
Gnathoncus sp.	1	rt-sf
Catops sp.	1	u
Lesteva sp.	1	oa-d
Phyllodrepa ?floralis	1	rt-sf
Omaliinae sp. A	1	u
Omaliinae sp. B	1	u
Carpelimus sp.	1	u
Platystethus arenarius	1	rf
Platystethus nitens	1	oa-d
Philonthus sp.	1	u
Quedius sp.	1	u
Staphylininae sp.	1	u
Tachyporus sp.	1	u
Falagria caesa or sulcatula	1	rt-sf
Aleocharinae sp. C	1	u
Aleocharinae sp. D	1	u
Trox scaber	1	rt-sf
Aphodius sp.	1	ob-rf
Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
Atomaria sp. C	1	rd

Taxon	n	ec
Aglenus brunneus	10	rt-ss
Lathridius minutus group	8	rd-st
Cryptophagus ?scutellatus	7	rd-st
Atomaria sp.	5	rd
Xylodromus concinnus	3	rt-st
Anotylus rugosus	3	rt
Enicmus sp.	3	rt-sf
Corticariinae sp.	3	rt
Apion sp. B	3	oa-p
Aleocharinae sp. B	2	u
Aleocharinae sp. C	2	u
Cryptophagus sp.	2	rd-sf
Bembidion ?guttula	1	oa
Cercyon sp.	1	u
Gnathoncus sp.	1	rt-sf
Ptenidium sp.	1	rt
Acrotrichis sp.	1	rt
Ptiliidae sp.	1	u
Catops ?nigrita	1	u
Omalius sp.	1	rt
Carpelimus bilineatus	1	rt-sf
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Leptacinus ?pusillus	1	rt-st
Gyrophypnus angustatus	1	rt-st
Gyrophypnus fracticornis	1	rt-st
Philonthus sp.	1	u
Quedius sp.	1	u
Staphylininae sp.	1	u
Tachyporus sp.	1	u
Aleocharinae sp. A	1	u
Aleocharinae sp. D	1	u
Trox scaber	1	rt-sf
Aphodius prodromus	1	ob-rf
Aphodius sp.	1	ob-rf
Clambus sp.	1	rt-sf
Adrastus pallens	1	oa-p
Anobium punctatum	1	l-sf
Omosita colon or discoidea	1	rt-sf
Orthoperus sp.	1	rt
Phymatodes alni	1	l
Halticinae sp. A	1	oa-p
Halticinae sp. B	1	oa-p
Apion sp. A	1	oa-p
Phytobius sp.	1	oa-d

Context: 0 Sample: 0/0 CA: **II22** ReM:  
Weight: 4.00 E: 0.00 F: 0.00

Taxon	n	ec
Atomaria sp. A	20	rd
Lathridius minutus group	17	rd-st
Aleocharinae sp. A	15	u
Xylodromus concinnus	12	rt-st
Cercyon analis	11	rt-sf
Cryptophagus sp. A	10	rd-sf
Carpelimus bilineatus	9	rt-sf
Orthoperus sp.	6	rt
Corticarinae sp.	6	rt
Anotylus rugosus	5	rt
Aleocharinae sp. B	5	u
Cryptophagus sp. B	5	rd-sf
Atomaria sp. B	5	rd
Aglenus brunneus	5	rt-ss
Stenus sp.	4	u
Gyrophypnus fracticornis	4	rt-st
Enicmus sp.	4	rt-sf
Gyrophypnus angustatus	3	rt-st
Quedius sp.	3	u
Auchenorhyncha sp.	2	oa-p
Megastemum obscurum	2	rt
Ochthebius sp.	2	oa-w
Carpelimus sp.	2	u
Anotylus complanatus	2	rt-sf
Aleocharinae sp. C	2	u
Aphodius prodromus	2	ob-rf
Corticaria ?punctulata	2	rt-sf
Trechus obtusus or quadristriatus	1	oa
Trechus secalis	1	oa-d
Bembidion sp.	1	oa
Pterostichus cupreus	1	oa
Pterostichus melanarius	1	ob
Agonum marginatum	1	oa-d
Dromius longiceps	1	oa-d
Helophorus aquaticus or grandis	1	oa-w
Helophorus rufipes	1	oa
Cercyon haemorrhoidalis	1	rf-sf
Cercyon unipunctatus	1	rf-st
Cryptopleurum minutum	1	rf-st
Histerinae sp.	1	rt
Acrotichis sp.	1	rt
Catops sp.	1	u
Omalium sp.	1	rt
Omaliinae sp. A	1	u
Omaliinae sp. B	1	u
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Oxytelus sculptus	1	rt-st
Neobisnius sp.	1	u
Philonthus sp.	1	u
Aleocharinae sp. D	1	u
Aleocharinae sp. E	1	u
Aphodius ?granarius	1	ob-rf

Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
Brachypterus ?glaber	1	oa-p
Meligethes sp.	1	oa-p
Omosita colon	1	rt-sf
Omosita discoidea	1	rt-sf
Monotoma sp.	1	rt-sf
Cryptophagus ?scutellatus	1	rd-st
?Phalacrus sp.	1	oa-p
?Typhaea stercorea	1	rd-ss
Anthicus floralis or formicarius	1	rt-st
Halticinae sp. A	1	oa-p
Halticinae sp. B	1	oa-p
Apion (Omphalopion) laevigatum	1	oa-p
Apion (Oxystoma) cracca	1	oa-p
Apion sp.	1	oa-p
Xyleborus saxeseni	1	l

Context: 0 Sample: 0/0 CA: **II23** ReM:  
Weight: 2.00 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	10	rt-sf
Aleocharinae sp. A	5	u
Cercyon analis	3	rt-sf
Xylodromus concinnus	3	rt-st
Aleocharinae sp. B	3	u
Atomaria sp.	3	rd
Acrotichis sp.	2	rt
Anotylus rugosus	2	rt
Cryptophagus sp.	2	rd-sf
Lathridius minutus group	2	rd-st
Histerinae sp.	1	rt
Ptenidium sp.	1	rt
Rugilus ?orbiculatus	1	rt-sf
Gyrophypnus angustatus	1	rt-st
Trox scaber	1	rt-sf
Aphodius sp.	1	ob-rf
Enicmus sp.	1	rt-sf
Aglenus brunneus	1	rt-ss
Scolytus rugulosus	1	l

Context: 0 Sample: 0/0 CA: **II25** ReM:  
Weight: 1.50 E: 0.00 F: 0.00

Carpelimus bilineatus	230	rt-sf
Aleocharinae sp. B	45	u
Aleocharinae sp. A	29	u
Aglenus brunneus	27	rt-ss
Cercyon analis	26	rt-sf
Atomaria sp. A	18	rd
Xylodromus concinnus	15	rt-st
Atomaria sp. B	11	rd
Neobisnius sp.	10	u
Cryptophagus ?scutellatus	10	rd-st
Anotylus rugosus	9	rt
Euplectini sp.	8	u
Ptenidium sp.	7	rt

Acrotrichis sp.	6	rt
Omalium caesum or italicum	5	rt-sf
Aleocharinae sp. C	5	u
Cryptophagus sp. A	5	rd-sf
Lathridius minutus group	4	rd-st
Quedius sp.	3	u
Cryptophagus sp. B	3	rd-sf
Orthoperus sp.	3	rt
Clivina fossor	2	oa
Acritus nigricornis	2	rt-st
Scydmaenidae sp.	2	u
Leptacinus ?pusillus	2	rt-st
Gyrophynus angustatus	2	rt-st
Gyrophynus fracticornis	2	rt-st
Philonthus sp.	2	u
Trox scaber	2	rt-sf
Enicmus sp.	2	rt-sf
Trechus secalis	1	oa-d
Bembidion ?guttula	1	oa
Pterostichus ?melanarius	1	ob
Laemostenus sp.	1	ss
Agonum muelleri	1	oa-d
Cercyon sp.	1	u
Gnathoncus sp.	1	rt-sf
Catops ?nigrita	1	u
Omaliinae sp. A	1	u
Omaliinae sp. B	1	u
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Anotylus complanatus	1	rt-sf
?Rugilus rufipes	1	rt-st
?Heterothops sp.	1	u
Habrocerus capillaricornis	1	rt
Aleocharinae sp. D	1	u
Aleocharinae sp. E	1	u
Aphodius sp.	1	ob-rf
Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
Meligethes sp.	1	oa-p
Corticarinae sp.	1	rt
Halticinae sp. A	1	oa-p
Halticinae sp. B	1	oa-p
Strophosomus nebulosus	1	oa-p
Ceutorhynchus ?contractus	1	oa-p
Curculionidae sp.	1	oa

Context: 0 Sample: 0/0 CA: **II26** ReM:  
Weight: 0.00 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	4	rt-sf
Aleocharinae sp. A	4	u
Neobisnius sp.	2	u
Quedius sp.	2	u
Staphylininae sp.	2	u
Aleocharinae sp. B	2	u
Aglenus brunneus	2	rt-ss
Auchenorhyncha sp.	1	oa-p

Agonum dorsale	1	oa
Cercyon sp.	1	u
Ochthebius minimus	1	oa-w
Xylodromus ?concinnus	1	rt-st
Platystethus cornutus group	1	oa-d
Gyrophynus fracticornis	1	rt-st
Philonthus sp.	1	u
Lathridius minutus group	1	rd-st
Anthicus floralis or formicarius	1	rt-st
?Phaedon sp.	1	oa-p
Halticinae sp. A	1	oa-p
Halticinae sp. B	1	oa-p
Sitona sp.	1	oa-p

Context: 0 Sample: 0/0 CA: **II27** ReM:  
Weight: 1.50 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	27	rt-sf
Aleocharinae sp. A	15	u
Cercyon analis	13	rt-sf
Xylodromus concinnus	13	rt-st
Cryptophagus ?scutellatus	12	rd-st
Lathridius minutus group	12	rd-st
Cryptophagus sp. A	10	rd-sf
Atomaria sp. A	8	rd
Aleocharinae sp. B	7	u
Aglenus brunneus	6	rt-ss
Anotylus rugosus	5	rt
Staphylininae sp. A	5	u
Cryptophagus sp. B	5	rd-sf
Atomaria sp. B	4	rd
Micropeplus fulvus	3	rt
Gyrophynus fracticornis	3	rt-st
Staphylininae sp. B	3	u
Euplectini sp.	3	u
Anobium punctatum	3	l-sf
Corticarinae sp.	3	rt
Megastemum obscurum	2	rt
Acritus nigricornis	2	rt-st
Catops sp.	2	u
Omaliinae sp. A	2	u
Platystethus cornutus group	2	oa-d
Anotylus nitidulus	2	rt
Aleocharinae sp. C	2	u
Atomaria sp. C	2	rd
Mycetaea hirta	2	rd-ss
Enicmus sp.	2	rt-sf
Phytobius sp.	2	oa-d
Heterogaster urticae	1	oa-p
Clivina fossor	1	oa
Patrobus atronufus	1	oa
Pterostichus ?melanarius	1	ob
Colymbetes fuscus	1	oa-w
Cercyon atricapillus	1	rf-st
Cercyon ?terminatus	1	rf-st
Hydrobius fuscipes	1	oa-w
Acrotrichis sp.	1	rt

Scydmaenidae sp.	1	u
Omalium excavatum	1	rt-sf
Omalium sp.	1	rt
Omalinae sp. B	1	u
Carpelimus sp.	1	u
Platystethus arenarius	1	rf
Platystethus nitens	1	oa-d
Anotylus complanatus	1	rt-sf
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Leptacinus ?pusillus	1	rt-st
Phacophallus parumpunctatus	1	rt-st
Gyrophypnus angustatus	1	rt-st
Xantholinus linearis	1	rt-sf
Neobisnius sp.	1	u
Philonthus sp.	1	u
Quedius sp.	1	u
?Sepedophilus sp.	1	u
Falagria caesa or sulcatula	1	rt-sf
Aleocharinae sp. D	1	u
Trox scaber	1	rt-sf
Aphodius sp.	1	ob-rf
Clambus sp.	1	rt-sf
Ptinus fur	1	rd-sf
Rhizophagus ?parallelocollis	1	rt-sf
Monotoma spinicollis	1	rt-st
Monotoma sp.	1	rt-sf
Tenebrio obscurus	1	rt-ss
Anthicus floralis or formicarius	1	rt-st
Halticinae sp.	1	oa-p
Ceutorhynchus sp.	1	oa-p

Context: 0 Sample: 0/0 CA: **II28** ReM:  
Weight: 2.50 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	16	rt-sf
Aleocharinae sp. A	4	u
Cryptophagus ?scutellatus	4	rd-st
Lathridius minutus group	4	rd-st
Xylodromus concinnus	3	rt-st
Cryptophagus sp.	3	rd-sf
Atomaria sp.	3	rd
Cercyon analis	2	rt-sf
Anotylus rugosus	2	rt
Aleocharinae sp. B	2	u
Aglenus brunneus	2	rt-ss
Pterostichus melanarius	1	ob
Agonum sp.	1	oa
Gnathoncus sp.	1	rt-sf
Phyllodrepa ?floralis	1	rt-sf
Omalium sp.	1	rt
Carpelimus sp.	1	u
Anotylus complanatus	1	rt-sf
Gyrophypnus fracticornis	1	rt-st
Philonthus sp.	1	u
Creophilus maxillosus	1	rt
Staphylininae sp.	1	u

Aleocharinae sp. C	1	u
Anobium punctatum	1	l-sf
Corticariinae sp.	1	rt

Context: 0 Sample: 0/0 CA: **II29** ReM:  
Weight: 3.00 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	80	rt-sf
Cryptophagus ?scutellatus	35	rd-st
Ptenidium sp.	29	rt
Anotylus rugosus	20	rt
Cercyon analis	14	rt-sf
Lathridius minutus group	13	rd-st
Aleocharinae sp. A	12	u
Aleocharinae sp. B	10	u
Neobisnius sp.	9	u
Anotylus complanatus	8	rt-sf
Anotylus nitidulus	8	rt
Cryptophagus sp.	7	rd-sf
Gyrophypnus fracticornis	6	rt-st
Omalinae sp. B	5	u
Anobium punctatum	5	l-sf
Trechus secalis	4	oa-d
Xylodromus concinnus	4	rt-st
Platystethus arenarius	4	rf
Atomaria sp.	4	rd
Platystethus cornutus group	3	oa-d
Stenus sp. A	3	u
Gyrophypnus angustatus	3	rt-st
Aleocharinae sp. C	3	u
Clivina fossor	2	oa
Helophorus flavipes	2	oa-w
Acrotrichis sp.	2	rt
Phyllodrepa ?floralis	2	rt-sf
Omalinae sp. A	2	u
Oxytelus sculptus	2	rt-st
Philonthus sp.	2	u
Euplectini sp.	2	u
Aphodius granarius	2	ob-rf
Enicmus sp.	2	rt-sf
Aglenus brunneus	2	rt-ss
Ceutorhynchus contractus	2	oa-p
Heterogaster urticae	1	oa-p
Cimicidae sp.	1	oa-p
Patrobus atronufus	1	oa
Trechus micros	1	u
Bembidion ?properans	1	oa
Bembidion ?guttula	1	oa
Pterostichus ?melanarius	1	ob
Agonum dorsale	1	oa
Amara sp.	1	oa
Harpalus rufipes	1	oa
?Hygrotus inaequalis	1	oa-w
Helophorus aquaticus	1	oa-w
Helophorus grandis	1	oa-w
Cercyon atricapillus	1	rf-st
Histerinae sp.	1	rt

Ochthebius minimus	1	oa-w
Catops sp.	1	u
Lesteva sp.	1	oa-d
Omalium sp.	1	rt
Coprophilus striatulus	1	rt-st
Platystethus nitens	1	oa-d
Stenus sp. B	1	u
Leptacinus ?pusillus	1	rt-st
Tachyporus sp.	1	u
Aleocharinae sp. D	1	u
Trox scaber	1	rt-sf
Aphodius prodromus	1	ob-rf
Aphodius sp.	1	ob-rf
Elateridae sp.	1	ob
Ptilinus pectinicornis	1	l-sf
Omosita colon	1	rt-sf
Rhizophagus ?parallelocollis	1	rt-sf
Monotoma sp.	1	rt-sf
Orthoperus sp.	1	rt
Corticariinae sp.	1	rt
?Mycetophagus sp.	1	u
Tenebrio obscurus	1	rt-ss
Rhinosimus planirostris	1	l
Gracilia minuta	1	l
Phyllotreta nemorum group	1	oa-p
Chaetocnema concinna	1	oa-p
Apion (Oxystoma) craccae	1	oa-p
Apion sp.	1	oa-p
Sitona sp.	1	oa-p
Ceutorhynchus erysimi	1	oa-p
Ceutorhynchus ?pictaris	1	oa-p
Ceutorhynchus pollinarius	1	oa-p
Curculionidae sp. A	1	oa
Curculionidae sp. B	1	oa
Curculionidae sp. C	1	oa

Context: 0 Sample: 0/0 CA: II30 ReM:  
Weight: 2.50 E: 0.00 F: 0.00

Taxon	n	ec
Cercyon analis	17	rt-sf
Carpelimus bilineatus	15	rt-sf
Aleocharinae sp. A	11	u
Cryptophagus sp.	9	rd-sf
Lathridius minutus group	7	rd-st
Aleocharinae sp. B	5	u
Xylodromus concinnus	4	rt-st
Anobium punctatum	4	l-sf
Atomaria sp. A	4	rd
Enicmus sp.	4	rt-sf
Omalium sp.	3	rt
Anotylus complanatus	3	rt-sf
Atomaria sp. B	3	rd
Aglenus brunneus	3	rt-ss
Platystethus cornutus group	2	oa-d
Anotylus rugosus	2	rt
Gyrophypnus fracticornis	2	rt-st
Cyphon sp.	2	oa-d

Ptinus fur	2	rd-sf
Meligethes sp.	2	oa-p
Monotoma sp.	2	rt-sf
Cryptophagus ?scutellatus	2	rd-st
Corticariinae sp.	2	rt
Auchenorhyncha sp.	1	oa-p
Clivina fossor	1	oa
Patrobus atrorufus	1	oa
Trechus obtusus or quadristriatus	1	oa
Cercyon haemorrhoidalis	1	rf-sf
Megastemum obscurum	1	rt
Acritus nigricornis	1	rt-st
Ptenidium sp.	1	rt
Omalium caesum or italicum	1	rt-sf
Omalinae sp. A	1	u
Omalinae sp. B	1	u
Coprophilus striatulus	1	rt-st
Platystethus nitens	1	oa-d
Anotylus nitidulus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Xantholinus linearis	1	rt-sf
Neobisnius sp.	1	u
Philonthus sp.	1	u
Quedius sp.	1	u
Staphylininae sp.	1	u
Aleocharinae sp. C	1	u
Aleocharinae sp. D	1	u
Trox scaber	1	rt-sf
Aphodius sp. A	1	ob-rf
Aphodius sp. B	1	ob-rf
Clambus sp.	1	rt-sf
Elateridae sp.	1	ob
Lyctus linearis	1	l-sf
?Phalacrus sp.	1	oa-p
Cerambycidae sp.	1	l
Phyllotreta nemorum group	1	oa-p
Halticinae sp.	1	oa-p
Apion (Apion) ?punctigerum	1	oa-p
Apion sp.	1	oa-p
Strophosomus ?sus	1	oa-p-m
Ceutorhynchus sp.	1	oa-p
Ceuthorhynchinae sp.	1	oa-p
Gymnetron sp.	1	oa-p

Context: 0 Sample: 0/0 CA: II31 ReM:  
Weight: 2.50 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	21	rt-sf
Cryptophagus ?scutellatus	20	rd-st
Aglenus brunneus	12	rt-ss
Aleocharinae sp. A	10	u
Xylodromus concinnus	8	rt-st
Aleocharinae sp. B	7	u
Atomaria sp.	7	rd
Cercyon ?analis	6	rt-sf
Lathridius minutus group	6	rd-st



Aleocharinae sp. C	5	u	Helophorus sp.	1	oa-w
Anotylus rugosus	4	rt	Gnathoncus sp.	1	rt-sf
Cryptophagus sp.	4	rd-sf	Histerinae sp.	1	rt
Quedius sp.	3	u	Ochthebius sp.	1	oa-w
Omaliinae sp. B	2	u	Ptenidium sp.	1	rt
Stenus sp.	2	u	Catops sp.	1	u
Gyrophypnus fracticornis	2	rt-st	Platystethus arenarius	1	rf
Philonthus sp. A	2	u	Platystethus cornutus group	1	oa-d
Philonthus sp. B	2	u	Platystethus nitens	1	oa-d
Euplectini sp.	2	u	Oxytelus sculptus	1	rt-st
Halticinae sp.	2	oa-p	Stenus sp.	1	u
Pterostichus melanarius	1	ob	Leptacinus ?pusillus	1	rt-st
Helophorus aquaticus or grandis	1	oa-w	Gyrophypnus fracticornis	1	rt-st
Cercyon atricapillus	1	rf-st	?Heterothops sp.	1	u
Histerinae sp.	1	rt	Staphylininae sp.	1	u
Ochthebius sp.	1	oa-w	Trox scaber	1	rt-sf
Acrotichis sp.	1	rt	Aphodius granarius	1	ob-rf
Phyllodrepa ?floralis	1	rt-sf	Aphodius sp.	1	ob-rf
Omaliinae sp. A	1	u	Anobium punctatum	1	l-sf
Carpelimus sp.	1	u	Ptilinus pectinicornis	1	l-sf
Platystethus arenarius	1	rf	Cryptophagus ?scutellatus	1	rd-st
Platystethus cornutus group	1	oa-d	Corticarinae sp.	1	rt
Anotylus nitidulus	1	rt	Rhinosimus planirostris	1	l
Neobisnius sp.	1	u	Phyllotreta nemorum group	1	oa-p
Sepedophilus marshami group	1	u			
Aleocharinae sp. D	1	u	Context: 0 Sample: 0/0 CA: <b>II36</b> ReM:		
Aphodius prodromus	1	ob-rf	Weight: 1.00 E: 0.00 F: 0.00		
Aphodius sp.	1	ob-rf			
Anobium punctatum	1	l-sf	<b>Taxon</b>	<b>n</b>	<b>ec</b>
Omosita discoidea	1	rt-sf	Staphylininae sp. A	3	u
Monotoma bicolor	1	rt-st	Aleocharinae sp. A	3	u
Enicmus sp.	1	rt-sf	Cryptophagus sp.	3	rd-sf
Anthicus floralis or formicarius	1	rt-st	Atomaria sp. A	3	rd
Ceutorhynchus contractus	1	oa-p	Cercyon analis	2	rt-sf
Phytobius sp.	1	oa-d	Carpelimus bilineatus	2	rt-sf
			Lathridius minutus group	2	rd-st
Context: 0 Sample: 0/0 CA: <b>II33</b> ReM:			Helophorus aquaticus or grandis	1	oa-w
Weight: 1.75 E: 0.00 F: 0.00			Helophorus sp.	1	oa-w
			Cercyon sp.	1	u
<b>Taxon</b>	<b>n</b>	<b>ec</b>	Acritus nigricornis	1	rt-st
Carpelimus bilineatus	10	rt-sf	Ochthebius minimus	1	oa-w
Anotylus complanatus	8	rt-sf	Xylodromus ?concinnus	1	rt-st
Aleocharinae sp. A	7	u	Platystethus arenarius	1	rf
Aglenus brunneus	5	rt-ss	Anotylus complanatus	1	rt-sf
Cercyon analis	3	rt-sf	Anotylus rugosus	1	rt
Anotylus rugosus	3	rt	Gyrophypnus ?angustus	1	rt-st
Aleocharinae sp. B	3	u	Staphylininae sp. B	1	u
Xylodromus concinnus	2	rt-st	Aleocharinae sp. B	1	u
Anotylus nitidulus	2	rt	Aleocharinae sp. C	1	u
Neobisnius sp.	2	u	Trox scaber	1	rt-sf
Philonthus sp.	2	u	Atomaria sp. B	1	rd
Aleocharinae sp. C	2	u	Enicmus sp.	1	rt-sf
Monotoma bicolor	2	rt-st	Corticarinae sp.	1	rt
Cryptophagus sp.	2	rd-sf	Aglenus brunneus	1	rt-ss
Atomaria sp.	2	rd	Halticinae sp.	1	oa-p
Lathridius minutus group	2	rd-st	Apion sp.	1	oa-p
Clivina fossor	1	oa			
Pterostichus ?melanarius	1	ob			

Context: 0 Sample: 0/0 CA: III5 ReM:  
Weight: 0.00 E: 0.00 F: 0.00

Taxon	n	ec
Coprophilus striatulus	2	rt-st
Carpelimus bilineatus	2	rt-sf
Ptinus fur	2	rd-sf
Trechus micros	1	u
Cercyon sp.	1	u
Ptenidium sp.	1	rt
Anotylus rugosus	1	rt
Neobisnius sp.	1	u
Aleocharinae sp. A	1	u
Aleocharinae sp. B	1	u
Pselaphidae sp.	1	u
Trox scaber	1	rt-sf
Aphodius sp.	1	ob-rf
Oxyomus sylvestris	1	rt-sf
Xestobium rufovillosum	1	l-st
Lyctus linearis	1	l-sf
Cryptophagus sp.	1	rd-sf
Mycetaea hirta	1	rd-ss
Anthicus floralis or formicarius	1	rt-st

Context: 0 Sample: 0/0 CA: III8 ReM:  
Weight: 3.50 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	9	rt-sf
Aleocharinae sp. A	8	u
Atomaria sp. A	7	rd
Cercyon analis	5	rt-sf
Anotylus rugosus	4	rt
Oxytelus sculptus	4	rt-st
Aleocharinae sp. B	4	u
Lathridius minutus group	4	rd-st
Aglenus brunneus	4	rt-ss
Ptenidium sp.	3	rt
Anotylus complanatus	3	rt-sf
Atomaria sp. B	3	rd
Anotylus nitidulus	2	rt
Pselaphidae sp.	2	u
Trechus obtusus or quadristriatus	1	oa
Trechus micros	1	u
Bembidion ?guttula	1	oa
Cercyon sp.	1	u
Histerinae sp.	1	rt
Catops ?nigrita	1	u
Micropeplus fulvus	1	rt
Omalius sp.	1	rt
Coprophilus striatulus	1	rt-st
Carpelimus sp.	1	u
Platystethus nitens	1	oa-d
Gyrophypnus ?fracticornis	1	rt-st
Neobisnius sp.	1	u
Philonthus sp.	1	u
Staphylininae sp.	1	u
Falagria caesa or sulcatula	1	rt-sf

Aleocharinae sp. C	1	u
Trox scaber	1	rt-sf
Aphodius ater	1	oa-rf
Aphodius sp.	1	ob-rf
Clambus ?pubescens	1	rt-sf
Anobium punctatum	1	l-sf
Ptinus fur	1	rd-sf
?Carpophilus sp.	1	rt
Rhizophagus ?parallelocollis	1	rt-sf
Monotoma sp.	1	rt-sf
Cryptophagus sp.	1	rd-sf
Orthoperus sp.	1	rt
Enicmus sp.	1	rt-sf
Corticaria ?punctulata	1	rt-sf
Cerambycidae sp.	1	l
Phyllotreta nemorum group	1	oa-p
?Psylliodes attenuata	1	oa-p

Context: 0 Sample: 0/0 CA: III9 ReM:  
Weight: 3.50 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	26	rt-sf
Oxytelus sculptus	14	rt-st
Aleocharinae sp. A	14	u
Atomaria sp. A	14	rd
Cercyon analis	10	rt-sf
Falagria caesa or sulcatula	9	rt-sf
Carpelimus fuliginosus	8	st
Anotylus complanatus	8	rt-sf
Aleocharinae sp. B	7	u
Anotylus rugosus	6	rt
Ptenidium sp.	5	rt
Stenus sp.	5	u
Euplectini sp.	5	u
Lathridius minutus group	5	rd-st
Corticariinae sp. A	5	rt
Omalius ?rivulare	4	rt-sf
Carpelimus ?corticinus	4	oa-d
Leptacinus ?pusillus	4	rt-st
Gyrophypnus fracticornis	3	rt-st
Philonthus sp.	3	u
Atomaria sp. B	3	rd
Trechus micros	2	u
Acritus nigricornis	2	rt-st
Omalius excavatum	2	rt-sf
Xylodromus concinnus	2	rt-st
Platystethus cornutus group	2	oa-d
Platystethus nitens	2	oa-d
Anotylus nitidulus	2	rt
Aleocharinae sp. C	2	u
Anobium punctatum	2	l-sf
Enicmus sp.	2	rt-sf
Corticariinae sp. B	2	rt
Apion sp.	2	oa-p
Bembidion (Peryphus) sp.	1	oa
Bembidion ?guttula	1	oa
Harpalus rufipes	1	oa

Helophorus sp. R	1	oa
Cercyon unipunctatus	1	rf-st
Megastemum obscurum	1	rt
Scydmaenidae sp.	1	u
Coprophilus striatulus	1	rt-st
Platystethus arenarius	1	rf
?Lithocharis ochracea	1	rt-st
Rugilus ?orbiculatus	1	rt-sf
Neobisnius sp.	1	u
?Gabrius sp.	1	rt
Cypha ?longicornis	1	rt
Aleocharinae sp. D	1	u
Aleocharinae sp. E	1	u
Trox scaber	1	rt-sf
Aphodius ?prodromus	1	ob-rf
Aphodius sp.	1	ob-rf
Clambus ?pubescens	1	rt-sf
Cyphon sp.	1	oa-d
Ptilinus pectinicornis	1	l-sf
Ptinus fur	1	rd-sf
Lyctus linearis	1	l-sf
Brachypterus glaber	1	oa-p
?Carpophilus sp.	1	rt
Monotoma bicolor	1	rt-st
Cryptophagus sp.	1	rd-sf
Atomaria sp. C	1	rd
Orthoperus sp.	1	rt
Aglenus brunneus	1	rt-ss
Phyllotreta nemorum group	1	oa-p
Apion (Oxystoma) cracca	1	oa-p
Scolytidae sp.	1	l

Context: 0 Sample: 0/0 CA: III12 ReM:  
Weight: 3.50 E: 0.00 F: 0.00

Taxon	n	ec
Lathridius minutus group	11	rd-st
Aleocharinae sp. A	6	u
Cryptophagus sp. A	5	rd-sf
Cercyon analis	4	rt-sf
Xylodromus concinnus	4	rt-st
Atomaria sp. A	4	rd
Omalium caesum or italicum	3	rt-sf
Anotylus nitidulus	3	rt
Oxytelus sculptus	3	rt-st
Philonthus sp.	3	u
Anobium punctatum	3	l-sf
Cryptophagus sp. B	3	rd-sf
Carpelimus bilineatus	2	rt-sf
Carpelimus sp.	2	u
Anotylus complanatus	2	rt-sf
Anotylus rugosus	2	rt
Stenus sp. A	2	u
Gyrophypnus fracticornis	2	rt-st
Quedius sp.	2	u
Aleocharinae sp. B	2	u
Aleocharinae sp. C	2	u

Atomaria sp. B	2	rd
Enicmus sp.	2	rt-sf
Corticariinae sp.A	2	rt
Typhaea stercorea	2	rd-ss
Aglenus brunneus	2	rt-ss
Clivina fossor	1	oa
Trechus micros	1	u
Bembidion ?guttula	1	oa
Carabidae sp.	1	ob
Helophorus grandis	1	oa-w
Cercyon unipunctatus	1	rf-st
Megastemum obscurum	1	rt
Acritus nigricornis	1	rt-st
Ptenidium sp.	1	rt
Scydmaenidae sp.	1	u
Micropeplus fulvus	1	rt
Aploderus caelatus	1	rt
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Anotylus sculptuatus group	1	rt
Stenus sp. B	1	u
Leptacinus ?pusillus	1	rt-st
Xantholinus linearis	1	rt-sf
?Gabrius sp.	1	rt
Tachyporus chrysomelinus type	1	u
Falagria caesa or sulcatula	1	rt-sf
Trox scaber	1	rt-sf
Aphodius ?prodromus	1	ob-rf
Ptilinus pectinicornis	1	l-sf
Ptinus fur	1	rd-sf
Lyctus linearis	1	l-sf
Malachius sp.	1	u
Corticaria ?punctulata	1	rt-sf
Corticariinae sp. B	1	rt
Notaris acridulus	1	oa-d-p
Ceutorhynchus contractus	1	oa-p
Curculionidae sp.	1	oa
?Taphrorychus bicolor	1	l

Context: 0 Sample: 0/0 CA: III14 ReM:  
Weight: 1.00 E: 0.00 F: 0.00

Taxon	n	ec
Cercyon analis	3	rt-sf
Anotylus complanatus	3	rt-sf
Enicmus sp.	3	rt-sf
Aleocharinae sp.	2	u
Aphodius sp.	2	ob-rf
Atomaria sp. A	2	rd
Corticariinae sp.A	2	rt
Carabidae sp.	1	ob
Cercyon sp.	1	u
Phyllodrepa floralis	1	rt-sf
Omalium excavatum	1	rt-sf
Omalium caesum or italicum	1	rt-sf
Omalinae sp.	1	rt
Carpelimus sp.	1	u

Platystethus nitens	1	oa-d
Anotylus nitidulus	1	rt
Anotylus rugosus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Leptacinus ?pusillus	1	rt-st
Quedius sp.	1	u
Staphylininae sp.	1	u
Omosita colon	1	rt-sf
Atomaria sp. B	1	rd
Lathridius minutus group	1	rd-st
Corticariinae sp. B	1	rt

Context: 0 Sample: 0/0 CA: III16 ReM:  
Weight: 3.00 E: 0.00 F: 0.00

Taxon	n	ec
Oxytelus sculptus	46	rt-st
Ptenidium sp.	22	rt
Carpelimus bilineatus	18	rt-sf
Carpelimus fuliginosus	18	st
Typhaea stercorea	18	rd-ss
Leptacinus ?pusillus	16	rt-st
Carpelimus pusillus group	13	u
Philonthus sp. A	11	u
Aleocharinae sp. A	10	u
Neobisnius sp.	9	u
Cercyon analis	8	rt-sf
Monotoma bicolor	8	rt-st
Atomaria sp.	5	rd
Cryptophagus sp. A	4	rd-sf
Lathridius minutus group	4	rd-st
Acritus nigricornis	2	rt-st
Histerinae sp.	2	rt
Philonthus sp. B	2	u
Aleocharinae sp. B	2	u
Anobium punctatum	2	l-sf
Meligethes sp.	2	oa-p
Cryptophagus sp. B	2	rd-sf
Enicmus sp.	2	rt-sf
Corticariinae sp.	2	rt
Auchenorhyncha sp.	1	oa-p
Calathus fuscipes	1	oa
?Bradycellus sp.	1	oa
Cercyon terminatus	1	rf-st
Cercyon unipunctatus	1	rf-st
Cercyon sp.	1	u
Omalius caesus or italicus	1	rt-sf
Xylodromus concinnus	1	rt-st
Anotylus rugosus	1	rt
Stenus sp.	1	u
Philonthus sp. C	1	u
?Gabrius sp.	1	rt
Pselaphidae sp.	1	u
Clambus ?pubescens	1	rt-sf
Monotoma spinicollis	1	rt-st
Dienerella sp.	1	rd-sf
Aglenus brunneus	1	rt-ss

Rhinosimus ?planirostris	1	l
Anthicus floralis or formicarius	1	rt-st
Crepidodera sp.	1	oa-p
Apion sp.	1	oa-p
?Rhinoncus perpendicularis	1	oa-p
Curculionidae sp.	1	oa

Context: 0 Sample: 0/0 CA: III18 ReM:  
Weight: -1.00 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	5	rt-sf
Apion sp. B	3	oa-p
Cercyon sp.	2	u
Atomaria sp.	2	rd
Lathridius minutus group	2	rd-st
Enicmus sp.	2	rt-sf
Apion sp. A	2	oa-p
Trechus micros	1	u
Helophorus sp.	1	oa-w
Carpelimus sp.	1	u
Anotylus complanatus	1	rt-sf
Anotylus rugosus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Leptacinus ?pusillus	1	rt-st
Staphylininae sp.	1	u
Aleocharinae sp.	1	u
Aphodius sp.	1	ob-rf
?Phyllopertha horticola	1	oa-p
Anobium punctatum	1	l-sf
Cryptophagus sp.	1	rd-sf
Corticariinae sp.	1	rt
Aglenus brunneus	1	rt-ss

Context: 0 Sample: 0/0 CA: IV4 ReM:  
Weight: 3.50 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	16	rt-ss
Carpelimus bilineatus	15	rt-sf
Aleocharinae sp. B	15	u
Atomaria sp. A	13	rd
Lathridius minutus group	10	rd-st
Xylodromus concinnus	9	rt-st
Anotylus complanatus	6	rt-sf
Cryptophagus sp. A	6	rd-sf
Atomaria sp. B	6	rd
Cercyon analis	5	rt-sf
Aleocharinae sp. C	5	u
Corticariinae sp. A	5	rt
Trechus micros	4	u
Anotylus nitidulus	4	rt
Anotylus rugosus	4	rt
Staphylininae sp.	4	u
Rhizophagus parallellocollis	4	rt-sf
Cryptophagus sp. B	4	rd-sf
Acritus nigricornis	3	rt-st

Oxytelus sculptus	3	rt-st
Aleocharinae sp. A	3	u
Aphodius sp. C	3	ob-rf
Monotoma bicolor	3	rt-st
Atomaria sp. C	3	rd
Helophorus sp.	2	oa-w
Omalius caesum or italicum	2	rt-sf
Carpelimus sp.	2	u
Platystethus arenarius	2	rf
Platystethus cornutus group	2	oa-d
Gyrophynus fracticornis	2	rt-st
Aleocharinae sp. D	2	u
Aphodius sp. B	2	ob-rf
Anobium punctatum	2	l-sf
Lyctus linearis	2	l-sf
Monotoma picipes	2	rt-st
Mycetaea hirta	2	rd-ss
Bruchinae sp.	2	u
Ceutorhynchus sp.	2	oa-p
Cimicidae sp.	1	oa-p
Trechus quadristriatus	1	oa
Bembidion sp.	1	oa
Cercyon terminatus	1	rf-st
Hydrophilinae sp.	1	oa-w
Gnathoncus sp.	1	rt-sf
Ptenidium sp.	1	rt
?Phyllodrepa floralis	1	rt-sf
Omalius rivulare	1	rt-sf
Omaliinae sp.	1	rt
Stenus sp.	1	u
Leptacinus ?pusillus	1	rt-st
Philonthus sp.	1	u
?Gabrius sp.	1	rt
?Tachyponus sp.	1	u
Aleocharinae sp. E	1	u
Aleocharinae sp. F	1	u
Trox scaber	1	rt-sf
Aphodius sp. A	1	ob-rf
Aphodius sp. D	1	ob-rf
Oxyomus sylvestris	1	rt-sf
Clambus sp.	1	rt-sf
Ptinus fur	1	rd-sf
Psammoecus bipunctatus	1	oa-d
Corticaria ?punctulata	1	rt-sf
Corticariinae sp. B	1	rt
Phymatodes alni	1	l
Phyllotreta nemorum group	1	oa-p
Halticinae sp.	1	oa-p
Apion (Exapion) difficile	1	oa-p
Apion sp.	1	oa-p
Ceuthorhynchinae sp.	1	oa-p

Context: 0 Sample: 0/0 CA: IV6 ReM:  
Weight: 1.25 E: 0.00 F: 0.00

Taxon	n	ec
Cercyon sp.	2	u
Trechus ?quadristriatus	1	oa

Ptenidium sp.	1	rt
Xylodromus ?concinnus	1	rt-st
Platystethus arenarius	1	rf
Anotylus complanatus	1	rt-sf
Anotylus ?inustus	1	rt
Anotylus rugosus	1	rt
Oxytelus sculptus	1	rt-st
Xantholinus longiventris	1	rt-sf
Aleocharinae sp.	1	u
Aphodius sp.	1	ob-rf
Meligethes sp.	1	oa-p
Atomaria sp.	1	rd
Lathridius minutus group	1	rd-st
Aglenus brunneus	1	rt-ss
Sitona lepidus	1	oa-p

Context: 0 Sample: 0/0 CA: IV7 ReM:  
Weight: 3.00 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	31	rt-ss
Aleocharinae sp. A	7	u
Atomaria sp. A	4	rd
Aleocharinae sp. B	3	u
Cercyon analis	2	rt-sf
Ptenidium sp.	2	rt
Xylodromus concinnus	2	rt-st
Carpelimus bilineatus	2	rt-sf
Anotylus nitidulus	2	rt
Aleocharinae sp. C	2	u
Anobium punctatum	2	l-sf
Cryptophagus sp. A	2	rd-sf
Lathridius minutus group	2	rd-st
Bembidion ?guttula	1	oa
Pterostichus ?melanarius	1	ob
Cryptopleurum minutum	1	rf-st
Acritus nigricornis	1	rt-st
Gnathoncus sp.	1	rt-sf
Histerinae sp.	1	rt
Omalius excavatum	1	rt-sf
Anotylus complanatus	1	rt-sf
Anotylus rugosus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp.	1	u
Gyrophynus fracticornis	1	rt-st
Neobisnius sp.	1	u
Philonthus sp.	1	u
Aphodius sp.	1	ob-rf
Monotoma bicolor	1	rt-st
Cryptophagus sp. B	1	rd-sf
Atomaria sp. B	1	rd
Enicmus sp.	1	rt-sf
Corticaria ?punctulata	1	rt-sf
Corticariinae sp.	1	rt
Anthicus formicarius	1	rt-st
Phyllotreta nemorum group	1	oa-p
Halticinae sp. A	1	oa-p
Halticinae sp. B	1	oa-p

Phyllobius sp. 1 oa-p  
 Limnobaris pilistriata 1 oa-p-d

Context: 0 Sample: 0/0 CA: IV13 ReM:  
 Weight: 1.75 E: 0.00 F: 0.00

Taxon	n	ec
Aglenus brunneus	44	rt-ss
Carpelimus bilineatus	15	rt-sf
Gabrius sp.	4	rt
Acritus nigricornis	3	rt-st
Xylodromus concinnus	3	rt-st
Leptacinus ?pusillus	3	rt-st
Rhizophagus ?parallelocollis	3	rt-sf
Trechus micros	2	u
Anotylus nitidulus	2	rt
?Othius sp.	2	rt
Gyrophypnus fracticornis	2	rt-st
Staphylininae sp. A	2	u
Staphylininae sp. B	2	u
Aleocharinae sp.	2	u
Bembidion sp.	1	oa
Ptenidium sp.	1	rt
Omalius sp.	1	rt
Carpelimus elongatulus	1	oa-d
Platystethus cornutus group	1	oa-d
Anotylus rugosus	1	rt
Neobisnius sp.	1	u
Ptinus fur	1	rd-sf
Omosita discoidea	1	rt-sf
Nitidulidae sp.	1	u
Monotoma sp.	1	rt-sf
Cryptophagus sp.	1	rd-sf
Mycetaea hirta	1	rd-ss
Enicmus sp.	1	rt-sf
Phyllotreta nemorum group	1	oa-p

Context: 0 Sample: 0/0 CA: IV19 ReM:  
 Weight: 1.25 E: 0.00 F: 0.00

Taxon	n	ec
Carpelimus bilineatus	112	rt-sf
Aglenus brunneus	103	rt-ss
Aleocharinae sp. A	35	u
Rhizophagus parallelocollis	33	rt-sf
Ptenidium sp.	14	rt
Oxytelus sculptus	13	rt-st
Trechus micros	11	u
Leptacinus ?pusillus	11	rt-st
Euplectini sp.	11	u
Anotylus rugosus	10	rt
Aleocharinae sp. B	10	u
Neobisnius sp.	9	u
Cercyon analis	8	rt-sf
Acritus nigricornis	7	rt-st
Xylodromus concinnus	7	rt-st
Aleocharinae sp. C	5	u
Cryptophagus sp.	5	rd-sf

Helophorus sp.	4	oa-w
Ptiliidae sp.	4	u
Anotylus nitidulus	4	rt
Carpelimus fuliginosus	3	st
Lyctus linearis	3	l-sf
Lathridius minutus group	3	rd-st
Helophorus aquaticus or grandis	2	oa-w
Omalius rivulare	2	rt-sf
Stenus sp.	2	u
Gyrophypnus angustatus	2	rt-st
Philonthus sp. A	2	u
Aleocharinae sp. D	2	u
Trox scaber	2	rt-sf
Aphodius sp.	2	ob-rf
Ptilinus pectinicornis	2	l-sf
Atomaria sp.	2	rd
Ceuthorhynchinae sp.	2	oa-p
Clivina fossor	1	oa
Bembidion sp.	1	oa
Carabidae sp.	1	ob
Cercyon sp.	1	u
Hydrobius fuscipes	1	oa-w
Hydrophilinae sp.	1	oa-w
Gnathoncus sp.	1	rt-sf
Ochthebius minimus	1	oa-w
Aclypea opaca	1	ob-rt
Omaliinae sp.	1	rt
Carpelimus elongatulus	1	oa-d
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Philonthus sp. B	1	u
Tachinus sp.	1	u
Falagria caesa or sulcatula	1	rt-sf
Aleocharinae sp. E	1	u
Aleocharinae sp. F	1	u
Aphodius ?prodromus	1	ob-rf
Cyphon sp.	1	oa-d
Ptinus fur	1	rd-sf
Meligethes sp.	1	oa-p
Omosita discoidea	1	rt-sf
Monotoma picipes	1	rt-st
Pediacus dermestoides	1	l
Anommatus duodecimstriatus	1	rt-st
Orthoperus sp.	1	rt
Enicmus sp.	1	rt-sf
Dienerella sp.	1	rd-sf
Corticarinae sp.	1	rt
Halticinae sp.	1	oa-p
Hypera sp.	1	oa-p

Context: 0 Sample: 0/0 CA: IV20 ReM:  
 Weight: 1.25 E: 0.00 F: 0.00

Taxon	n	ec
Anotylus nitidulus	4	rt
Aphodius sp.	4	ob-rf
Xylodromus ?concinnus	2	rt-st
Platystethus cornutus group	2	oa-d

Neobisnius sp.	2	u	Aphodius ?granarius	5	ob-rf
Trechus obtusus or quadristriatus	1	oa	Cercyon ?haemorrhoidalis	4	rf-sf
Anotylus rugosus	1	rt	Platystethus arenarius	4	rf
Philonthus sp.	1	u	Philonthus sp.	4	u
Aleocharinae sp.	1	u	Aglenus brunneus	4	rt-ss

Context: 0 Sample: 0/0 CA: IV21 ReM:  
Weight: 1.50 E: 0.00 F: 0.00

<b>Taxon</b>	<b>n</b>	<b>ec</b>			
Atomaria sp.	4	rd	Stenus sp.	2	u
Cercyon analis	3	rt-sf	Leptacinus ?pusillus	2	rt-st
Carpelimus bilineatus	3	rt-sf	Gyrophypnus fracticornis	2	rt-st
Aleocharinae sp. B	3	u	Pterostichus ?melanarius	1	ob
Ptenidium sp.	2	rt	Agabus bipustulatus	1	oa-w
Anotylus nitidulus	2	rt	Helophorus sp.	1	oa-w
Stenus sp.	2	u	Sphaeridium bipustulatum	1	rf
Leptacinus ?pusillus	2	rt-st	Cercyon unipunctatus	1	rf-st
Neobisnius sp.	2	u	Cercyon sp.	1	u
Aleocharinae sp. C	2	u	Megastemum obscurum	1	rt
Cryptophagus sp.	2	rd-sf	Acritus nigricornis	1	rt-st
Carabus problematicus	1	oa	Omalium caesum or italicum	1	rt-sf
Trechus quadristriatus	1	oa	Xylodromus concinnus	1	rt-st
Trechus micros	1	u	Platystethus cornutus group	1	oa-d
Bembidion sp.	1	oa	Anotylus complanatus	1	rt-sf
Cercyon atricapillus	1	rf-st	Gyrophypnus ?angustatus	1	rt-st
Cercyon haemorrhoidalis	1	rf-sf	Tachyporus chrysomelinus type	1	u
Cercyon ?lateralis	1	rf-st	Falagria caesa or sulcatula	1	rt-sf
Omalium sp.	1	rt	Aleocharinae sp. A	1	u
Xylodromus concinnus	1	rt-st	Aleocharinae sp. B	1	u
Carpelimus fuliginosus	1	st	Aleocharinae sp. C	1	u
Carpelimus sp.	1	u	Trox scaber	1	rt-sf
Platystethus cornutus group	1	oa-d	Aphodius sp. A	1	ob-rf
Anotylus complanatus	1	rt-sf	Aphodius sp. B	1	ob-rf
Anotylus rugosus	1	rt	Aphodius sp. C	1	ob-rf
Gyrophypnus fracticornis	1	rt-st	Oxyomus sylvestris	1	rt-sf
Falagria caesa or sulcatula	1	rt-sf	Anobium punctatum	1	l-sf
Aleocharinae sp. A	1	u	Omosita colon	1	rt-sf
Trox scaber	1	rt-sf	Atomaria sp.	1	rd
Aphodius ?prodromus	1	ob-rf	Tenebrio obscurus	1	rt-ss
Anobium punctatum	1	l-sf	Anthicus bifasciatus	1	rt-st
Ptinus fur	1	rd-sf	Anthicus floralis or formicarius	1	rt-st
Monotoma sp.	1	rt-sf	Bruchinae sp.	1	u
Orthoperus sp.	1	rt	Chrysomelidae sp.	1	oa-p
Lathridius minutus group	1	rd-st	Dorytomus sp.	1	oa-p
Enicmus sp.	1	rt-sf	Ceutorhynchus ?rugulosus	1	oa-p
Dienerella sp.	1	rd-sf	Rhinoncus ?bruchoides	1	oa-p
Corticariinae sp.	1	rt	Coleoptera sp.	1	u
Aglenus brunneus	1	rt-ss			
Anthicus floralis or formicarius	1	rt-st			
Curculionidae sp.	1	oa			

Context: 0 Sample: 0/0 CA: IV31 ReM:  
Weight: 1.00 E: 0.00 F: 0.00

Context: 0 Sample: 0/0 CA: IV28 ReM:  
Weight: 0.50 E: 0.00 F: 0.00

<b>Taxon</b>	<b>n</b>	<b>ec</b>	<b>Taxon</b>	<b>n</b>	<b>ec</b>
Cercyon analis	5	rt-sf	Carpelimus pusillus group	85	u
Neobisnius sp.	5	u	Carpelimus bilineatus	43	rt-sf
			Neobisnius sp.	22	u
			Leptacinus ?pusillus	11	rt-st
			Anotylus rugosus	8	rt

Cercyon analis	7	rt-sf
Aleocharinae sp. A	7	u
Cryptophagus sp.	4	rd-sf
Xylodromus concinnus	3	rt-st
Gyrophypnus fracticornis	3	rt-st
Aleocharinae sp. B	3	u
Clivina fossor	2	oa
Ptenidium sp.	2	rt
Anotylus complanatus	2	rt-sf
Oxytelus sculptus	2	rt-st
Cryptophagus ?scutellatus	2	rd-st
Lathridius minutus group	2	rd-st
Auchenorhyncha sp.	1	oa-p
Trechus obtusus or quadristriatus	1	oa
Bembidion ?guttula	1	oa
Cercyon atricapillus	1	rf-st
Cercyon sp.	1	u
Acrotichis sp.	1	rt
Omalius ?rivulare	1	rt-sf
Platystethus arenarius	1	rf
Anotylus nitidulus	1	rt
Stenus sp.	1	u
Philonthus sp.	1	u
Falagria caesa or sulcatula	1	rt-sf
Aleochara sp.	1	u
Aleocharinae sp. C	1	u
Aleocharinae sp. D	1	u
Euplectini sp.	1	u
Aphodius sp.	1	ob-rf
Omosita discoidea	1	rt-sf
Rhizophagus parallellocollis	1	rt-sf
Monotoma bicolor	1	rt-st
Corticaria ?punctulata	1	rt-sf
Halticinae sp.	1	oa-p

Context: 0 Sample: 0/0 CA: IV35 ReM:  
 Weight: 5.00 E: 0.00 F: 0.00

Taxon	n	ec
Corticariinae sp. A	18	rt
Lathridius minutus group	17	rd-st
Cryptophagus sp. A	13	rd-sf
Platystethus arenarius	8	rf
Anotylus nitidulus	7	rt
Aleocharinae sp. A	6	u
Xylodromus concinnus	5	rt-st
Platystethus cornutus group	5	oa-d
Anobium punctatum	5	l-sf
Monotoma sp. A	5	rt-sf
Atomaria sp. A	4	rd
Corticariinae sp. B	4	rt
Aglenus brunneus	4	rt-ss
Cercyon analis	3	rt-sf
Cryptopleurum minutum	3	rf-st
Platystethus nitens	3	oa-d
Falagria caesa or sulcatula	3	rt-sf
Cryptophagus sp. B	3	rd-sf
Dienerella sp.	3	rd-sf

Helophorus grandis	2	oa-w
Helophorus sp.	2	oa-w
Cercyon atricapillus	2	rf-st
Ptenidium sp.	2	rt
Acrotichis sp.	2	rt
Carpelimus bilineatus	2	rt-sf
Rugilus ?orbiculatus	2	rt-sf
Gyrophypnus angustatus	2	rt-st
Gyrophypnus fracticornis	2	rt-st
Neobisnius sp.	2	u
Staphylininae sp. A	2	u
Aleocharinae sp. B	2	u
Aphodius ?prodromus	2	ob-rf
Clambus sp.	2	rt-sf
Cryptophagus sp. C	2	rd-sf
Orthoperus sp.	2	rt
Enicmus sp.	2	rt-sf
Corticaria ?punctulata	2	rt-sf
Cerambycidae sp.	2	l
Rhynchaenus sp.	2	oa-p
Lycocoris campestris	1	rd-st
Nebria brevicollis	1	oa
Trechus micros	1	u
Pterostichus melanarius	1	ob
?Harpalus sp.	1	oa
Metabletus sp.	1	oa
Agabus bipustulatus	1	oa-w
Cercyon unipunctatus	1	rf-st
Cercyon sp.	1	u
Histerinae sp.	1	rt
Ochthebius minimus	1	oa-w
Micropeplus fulvus	1	rt
Omalius sp.	1	rt
Omaliinae sp.	1	rt
Carpelimus sp.	1	u
Aploderus caelatus	1	rt
Anotylus rugosus	1	rt
Oxytelus sculptus	1	rt-st
Stenus sp. A	1	u
Stenus sp. B	1	u
Xantholinus linearis or longiventris	1	rt-sf
Philonthus sp.	1	u
Staphylininae sp. B	1	u
Tachyporus sp.	1	u
Aleocharinae sp. C	1	u
Aleocharinae sp. D	1	u
Trox scaber	1	rt-sf
Aphodius sp.	1	ob-rf
Elateridae sp.	1	ob
Cantharidae sp.	1	ob
?Dermestes sp.	1	rt-sf
Ptilinus pectinicornis	1	l-sf
Ptinus fur	1	rd-sf
Brachypterus glaber	1	oa-p
Omosita discoidea	1	rt-sf
Monotoma sp. B	1	rt-sf
Atomaria sp. B	1	rd
Atomaria sp. C	1	rd



Cerylon ferrugineum	1	l	Oxytelus sculptus	1	rt-st
Scymnus sp. s. lat.	1	oa-p	Leptacinus ?pusillus	1	rt-st
Corticariinae sp. C	1	rt	Neobisnius sp.	1	u
Typhaea stercorea	1	rd-ss	Philonthus sp. B	1	u
Tenebrio obscurus	1	rt-ss	Quedius sp.	1	u
Anthicus floralis or formicarius	1	rt-st	Staphylininae sp.	1	u
Bruchinae sp.	1	u	Aleocharinae sp. A	1	u
Oulema ?melanopa	1	oa-p	Aleocharinae sp. B	1	u
Phyllotreta sp.	1	oa-p	Aleocharinae sp. C	1	u
Halticinae sp. A	1	oa-p	Trox scaber	1	rt-sf
Halticinae sp. B	1	oa-p	Aphodius sp. A	1	ob-rf
Apion (Eutrichapion) sp.	1	oa-p	Aphodius sp. B	1	ob-rf
Apion sp.	1	oa-p	Atomaria sp.	1	rd
Sitona lepidus	1	oa-p	Lathridius minutus group	1	rd-st
Sitona ?lineatus	1	oa-p	Enicmus sp.	1	rt-sf
Sitona suturalis	1	oa-p	Dienerella sp.	1	rd-sf
Ceutorhynchus contractus	1	oa-p	Corticariinae sp.	1	rt
Ceutorhynchus sp.	1	oa-p	Typhaea stercorea	1	rd-ss
Rhinoncus ?pericarpus	1	oa-p	Tenebrio obscurus	1	rt-ss
Leperisinus varius	1	l	Bruchinae sp.	1	u
?Taphrorychus bicolor	1	l	Prasocuris phellandrii	1	oa-p-d
			Chaetocnema concinna	1	oa-p
Context: 0 Sample: 0/0 CA: IV36 ReM:			Rhinoncus perpendicularis	1	oa-p
Weight: 3.00 E: 0.00 F: 0.00			?Taphrorychus bicolor	1	l
			Scolytidae sp.	1	l

<b>Taxon</b>	<b>n</b>	<b>ec</b>
Cercyon analis	3	rt-sf
Xylodromus concinnus	3	rt-st
Gyrohypnus fracticornis	3	rt-st
Philonthus sp. A	3	u
Anobium punctatum	3	l-sf
Cryptophagus sp. A	3	rd-sf
Cryptophagus sp. B	3	rd-sf
Cercyon unipunctatus	2	rf-st
Aglenus brunneus	2	rt-ss
Anthicus formicarius	2	rt-st
Phyllotreta nemorum group	2	oa-p
Aneurus sp.	1	l
Heterogaster urticae	1	oa-p
Nebria brevicollis	1	oa
Clivina fossor	1	oa
Trechus micros	1	u
Harpalus sp.	1	oa
Carabidae sp. A	1	ob
Carabidae sp. B	1	ob
Carabidae sp. C	1	ob
Helophorus sp.	1	oa-w
Cercyon atricapillus	1	rf-st
Cercyon sp.	1	u
Histerinae sp.	1	rt
Ochthebius minimus	1	oa-w
Omalium sp.	1	rt
Coprophilus striatulus	1	rt-st
Aploderus caelatus	1	rt
Platystethus arenarius	1	rf
Platystethus cornutus group	1	oa-d
Platystethus nitens	1	oa-d
Anotylus rugosus	1	rt